

Date:20-12-2023

To,  
Sh Prasoon Gargava (Scientist 'E' & Regional Director)  
CENTRAL POLLUTION CONTROL BOARD,  
Parivesh Bhawan, Opp. VMC Ward Office No. 10,  
Subhanpura, Vadodara-390 023  
Tel 0265-2392603  
E-mail: [prasoon.cpcb@nic.in](mailto:prasoon.cpcb@nic.in)

**Subject** : Submission of June 2023 Six Monthly Compliance Report for Amendment of Residential Project- Meghna Montana at plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village- Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.

**Reference** : Environmental Clearance received Identification no. SEIAA-EC-000002295 dated 15<sup>th</sup> Jan 2020 as per General condition no. XLI and LIII.

Respected Sir,

With reference to above mentioned subject and as per the condition stated in Environmental Clearance Letter, we would like to submit the June 2023 Six Monthly Compliance Report and Monitoring Reports after receipt of Environmental Clearance for above mentioned site.

Hereby we are enclosing Data-Sheet along with annexure in format along with above mentioned Enclosures.

Please find this June 2023 Six monthly Compliance report after receiving Environmental Clearance along with this letter.

Thanking you,

Yours Sincerely,


For M/s. Tharwani Constructions Pvt

To,  
Shri Kanwarjit Singh, IFS  
Additional Principal Chief Conservator of Forests (C),  
Ministry of Environment, Forest and Climate Change,  
Regional Office (WCZ), Ground Floor, East Wing,  
New Secretariat Building Civil Lines, Nagpur 440001  
Tel.No.0712-2531318  
Email ID: [apccfcentral-ngp-mef@gov.in](mailto:apccfcentral-ngp-mef@gov.in)

**Subject : Submission of June 2023 Six Monthly Compliance Report for Amendment of Residential Project- Meghna Montana at plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village- Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.**

**Reference : Environmental Clearance received Identification no. SEIAA-EC-0000002295 dated 15<sup>th</sup> Jan 2020 as per General condition no. XLI and LIII.**

Respected Sir,

With reference to above mentioned subject and as per the condition stated in Environmental Clearance Letter, we would like to submit the **June 2023 Six Monthly Compliance Report and Monitoring Report** after receipt of Environmental Clearance for above mentioned site.

Hereby we are enclosing **Data-Sheet along with annexure in format along with above mentioned Enclosures.**

Please find this June 2023 Six monthly Compliance report after receiving Environmental Clearance along with this letter.

Thanking you,

Yours Sincerely,



For M/s. Tharwani Constructions Pvt Ltd

To,  
S.R.O. Kalyan I,  
Maharashtra Pollution Control Board,  
Sidhivinayak Sankul,  
3<sup>rd</sup> and 4<sup>th</sup> Floor, Station Road,  
Kalyan (West), Kalyan-421301.  
Tel no: 0251-2310167  
E-mail: [srokalyan1@mpcb.gov.in](mailto:srokalyan1@mpcb.gov.in)

**Subject : Submission of June 2023 Six Monthly Compliance Report for Amendment of Residential Project- Meghna Montana at plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village- Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.**

**Reference : Environmental Clearance received Identification no. SEIAA-EC-000002295 dated 15<sup>th</sup> Jan 2020 as per General condition no. XLI and LIII.**

Respected Sir,


With reference to above mentioned subject and as per the condition stated in Environmental Clearance Letter, we would like to submit the **June 2023 Six Monthly Compliance Report and Monitoring Report** after receipt of Environmental Clearance for above mentioned site.

Hereby we are enclosing **Data-Sheet along with annexure in format along with above mentioned Enclosures.**

Please find this June 2023 Six monthly Compliance report after receiving Environmental Clearance along with this letter.

Thanking you,

Yours Sincerely,



For M/s. Tharwani Constructions Pvt Ltd

Date: 20-12-2023

To,  
State Level Environment Impact Assessment Authority Maharashtra,  
Environment Department,  
New Administration Building,  
15th floor, Mantralaya, Mumbai  
State: Maharashtra

**Subject : Submission of June 2023 Six Monthly Compliance Report for Amendment of Residential Project- Meghna Montana at plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village- Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.**

**Reference : Environmental Clearance received Identification no. SEIAA-EC-0000002295 dated 15<sup>th</sup> Jan 2020 as per General condition no. XLI and LIII.**

Respected Sir,

With reference to above mentioned subject and as per the condition stated in Environmental Clearance Letter, we would like to submit the **June 2023 Six Monthly Compliance Report and Monitoring Report** after receipt of Environmental Clearance for above mentioned site.

Hereby we are enclosing **Data-Sheet along with annexure in format along with above mentioned Enclosures.**

Please find this **June 2023 Six monthly Compliance report** after receiving Environmental Clearance along with this letter.

Thanking you,

Yours Sincerely,



For M/s. Tharwani Constructions Pvt Ltd

# SIX MONTHLY COMPLIANCE REPORT

(June 2023)

of  
For Amendment of Residential project  
“Meghna Montana”  
At  
Plot bearing Sr.no. 135/3A, 138/2, 134/1A, 1B, 1C,  
1D, 134/2, 138/1D  
at  
Village –Chikhaloli, Ambernath Tal. Ambernath,  
Dist.-Thane Project.

Submitted By  
M/s. Tharwani Construction Pvt. Ltd.

Prepared By  
  
**॥manu sruшти॥**  
...Towards Primitive Nature

NABET Accreditation No.: NABET/EIA/2023/SA0194/Rev

**Point wise compliance status to various stipulations laid down by the Government of India as per the Environmental Clearance issued vide Letter No. SEIAA-EC-000002295 dated 15<sup>th</sup> January 2020**

Sr. No.	EC condition	Reply
<b>SPECIFIC CONDITIONS</b>		
I.	PP to upload the contour map	Agreed and Complied with the same.
II.	The planning authority to ensure that no occupation certificate is given to the project till surplus discharge from STP of the project is connected to duly develop and commissioned sewage disposal system of the planning authority respectively.	Agreed and noted.
III.	PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.	Agreed and noted.
IV.	PP to submit CER prescribed by MoEF & CC circular dated 1.5.2018 relevant to the area and people around the project. The specific activities to be undertaken under CER to be carried out in consultation with Municipal Corporation or collector or Environment Department.	Agreed and Complied with the same.
V.	PP to ensure that CER plan gets approved from Municipal Commissioner/District Collector.	Agreed and noted.
VI.	PP shall comply with standard EC conditions mentioned in the Office Memorandum issued by MoEF&CC vide F.No.22-34/2018-IA.III dt.04.01.2019	Agreed and noted.
VII.	SEIAA decided to grant EC for –FSI: 81,962.54 m <sup>2</sup> , Non-FSI: 41,940.88 m <sup>2</sup> and Total BUA: 123903.42 m <sup>2</sup> (Plan Approval no-AMC/NRV/BP/19-20/849/8972/61, Date-26.09.2019)	Agreed and noted.
<b>General Conditions</b>		
i.	E-waste shall be disposed through Authorized vendor as per E-waste (Management and handling) Rules, 2016	Agreed and complied. The E- Waste will be handed over to AMC authorized Vendor.
ii.	The Occupancy certificate shall be issued by the Local/Planning authority to the project only after ensuring sustained availability of drinking water, connectively of sewer line to the project site and proper disposal of treated water as per environment norms.	Agreed to comply with the same.
iii.	This environmental clearance is issued subject to obtaining NOC from Forestry & wild life angel including clearance from the standard committee of the National Board for Wild life as if application & this environment clearance does not necessarily implies that Forestry & wild life clearance granted to the project which will be considered separately on merit.	The Current project is under reference is not applicable for Forestry & wildlife NOC.
iv.	PP has to abide by the conditions stipulated by SEAC & SEIAA	Agreed to comply with the same.

Sr. No.	EC condition	Reply
v.	The height construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout; plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area	Agreed to comply with the same.
vi.	If applicable Consent for Establishment shall be obtained from Maharashtra Pollution Control Board under Air and water Act and a copy shall be submitted to the Environment Department before start of any construction work at the site.	Agreed to comply with the same. Received Consent to Establish vide Letter no.Format1.0/BO/JD/(WPC)/0000053300/C E/CC-1905000141 Dated: 03/05/2019 Refer <b>Annexure No.3</b> for the Copy of Consent to Establish.
vii.	All required sanitary and hygienic measures should be in place starting construction activities and to be maintained throughout the construction phase.	Agreed to comply with the same.
viii.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of waste water and solid waste generated during this construction phase should be ensured	Agreed to comply with the same.
ix.	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Segregation of Dry and wet garbage will be done at the source. <ul style="list-style-type: none"> <li>• Dry garbage will be given to recyclers.</li> <li>• Wet garbage/biodegradable matter as leftover food, vegetable including STP sludge will be Composted by Mechanical composting. Refer <b>Annexure no.:11</b> for the Details of solid waste management.</li> </ul>
x.	Disposal of muck, construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Agreed to comply with the same.
xi.	Arrangement shall be made that waste water and storm water do not get mixed.	We will be providing separate sewer lines and Storm water drains. Refer <b>Annexure no.: 20</b> for Strom water Drainage and sewer line layout plan.
xii.	All the top soil excavated during construction activities should be stored for use in horticulture / Landscape development within the project site.	Yes. Topsoil will be utilized for landscape development within the project site.
xiii.	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Yes. The earth debris will be utilize for leveling and for road construction within site.

Sr. No.	EC condition	Reply
xiv.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Proper Landscaping done within the site. Total 626 Nos. of Trees proposed to plant along with plot boundary & RG area. Refer <b>Annexure no. : 16</b> For Landscape Details.
xv.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Yes, Agreed to comply with. Refer <b>June 2023</b> Monitoring reports, attached as <b>Annexure no. :15</b>
xvi.	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water	Agreed to comply with the same.
xvii.	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Agreed to comply with the same.
xviii.	The diesel generator sets to be used during construction phase should be low Sulphur Diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	Agreed to comply with the same.
xix.	The diesel required for operation DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.	Noted. 2 DG Set of 380 KVA & 1 DG set of 125 KVA will be provided for emergency backup of Lift, STP, water and fire Pumps. Refer the <b>Annexure No. : 19</b> for details for electric Supply.
xx.	Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-Peak hours.	Noted. PUC of vehicles was checked at site before allowing the vehicles inside the premises
xxi.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the Stipulated standards by CPCB/ MPCB.	Agreed to comply with the same. Refer <b>June 2023</b> Monitoring report attached as <b>Annexure No. :15</b>
xxii.	Fly ash should be used as building material in the construction as per the provisions of fly ash Notification of September 1999 and amended as on 27 <sup>th</sup> August, 2003. (The above condition is applicable only if the project site is located within the 100km of Thermal Power Plant Stations).	Agreed to comply with the same.
xxiii.	Ready mixed concrete must be used in building construction.	We are proposing mixing plant at site. Dust mitigation measures will be followed at site.
xxiv.	Strom water control and its reuse as per CCWB and BIS standard for various applications.	Agreed to comply with the same.
xxv.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Agreed to comply with the same.



Sr. No.	EC condition	Reply						
xxvi.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Agreed to comply with the same.						
xxvii.	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	<p>Agreed to comply with. STP with capacity of 975 KLD capacity will be provided, Recycled Water will be used for Flushing and Gardening. Refer <b>Annexure No. 13</b> for Details of STP Proposed at site.</p> <p style="text-align: center;">STP technology- MBBR For Dry season</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;"><b>Total Treated water</b></td> <td style="text-align: center;">852 (KLD)</td> </tr> <tr> <td style="text-align: center;"><b>Recycled water</b></td> <td style="text-align: center;">394</td> </tr> <tr> <td style="text-align: center;"><b>Excess to drain</b></td> <td style="text-align: center;">457</td> </tr> </table> <p>Refer <b>Annexure no.: 10</b> for water balance details.</p>	<b>Total Treated water</b>	852 (KLD)	<b>Recycled water</b>	394	<b>Excess to drain</b>	457
<b>Total Treated water</b>	852 (KLD)							
<b>Recycled water</b>	394							
<b>Excess to drain</b>	457							
xxviii.	Permission to draw groundwater for construction of the basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	Agreed to comply with the same.						
xxix.	Separation of grey and black water should be done by the use of dual plumbing line for separation of gray and black water.	Agreed and Complied.						
xxx.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Agreed. Low Pressure Water fixtures are proposed.						
xxxi.	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning, If necessary, use high quality double glass with special reflective coating in windows.	Agreed to comply with the same. Our design Architect has considered this at planning stage only.						
xxxii.	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Roof insulation is done by use of china mosaic flooring on terrace.						
xxxiii.	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	Agreed to comply with the same. Kindly refer the <b>Annexure no. :19</b> for Energy saving details						
xxxiv.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets, Use low	Agreed. We have proposed 2 DG set of capacity 380 kVA & 1 DG set of 125 KVA Capacity, as alternate power supply. DG sets norms will follow as prescribed by MPCB. Refer <b>Annexure No.: 19</b> for Energy details.						

Sr. No.	EC condition	Reply
	sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	
xxxv.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Noise monitoring will be done on regular basis. The noisy activity will be separated and will be barricaded. Even PPE are given to work in noisy area.
xxxvi.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Yes. Adequate parking is given to the project to avoid parking outside the premises and traffic congestion due to road blockage. All Traffic impact assessment report findings have taken into consideration. Refer <b>Annexure No.:14</b> for parking Details.
xxxvii.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement	Agreed to comply with the same.
xxxviii.	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Agreed to comply with the same. Refer <b>Annexure no.: 5</b> for Layout plan of the project.
xxxix.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	Yes, Agreed to comply with same.
xl.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Noted.
xli.	Six monthly monitoring reports should be submitted to the Department and MPCB.	Agreed to comply with the same. Refer <b>June 2023</b> Monitoring report attached as <b>Annexure No. 15.</b>
xlii.	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	Yes, Agreed to comply with same.
xliii.	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.	Agreed and Complied with the same. Refer <b>Annexure no.:11</b> for same.
xliv.	Local body should ensure that no occupation	Agreed & Noted.

Sr. No.	EC condition	Reply
	certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.	
xlv.	A complete set of all the documents submitted to Department should be forwarded to the Local Authority and MPCB	Yes, Agreed to comply with same.
xlvi.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this department.	Noted.
xlvii.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Agreed to comply with the same.
xlviii.	Separate funds shall be allocated for implementation of environmental protection measure/EMP along with item- wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.	Refer <b>Annexure No.: 18</b> The Budgetary allocation for Environmental management plan.
xlix.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a>	Yes, Agreed to Comply with.
i.	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	Yes, Agreed to comply with. This is our Six monthly compliance report of <b>June 2023</b> .
ii.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	Agreed to comply with the same.
iii.	The proponent shall upload the status of compliance of the stipulated EC conditions. Including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters. Indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted. Agreed to comply with the same.
liii.	The project proponent shall also submit six monthly	Agreed to comply with the same.

Sr. No.	EC condition	Reply
	reports on the status of compliance of the stipulated BC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB.	Refer <b>June 2023</b> Monitoring report attached as <b>Annexure No. 15</b> .
liv.	The environmental statement for each financial year ending 31 March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986. as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MOEF by e-mail,	Agreed to comply with the same.
4.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Agreed and Noted.
5.	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department Will revoke or suspended the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Agreed and Noted.
6.	The Environment Department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	Agreed and Noted.
7.	<b>Validity of Environment Clearance:</b> The environmental clearance accorded shall be valid as per EIA Notification, 2006, amendments by MoEF&CC Notification dated 29 <sup>th</sup> April, 2015.	Agreed and Noted.
8.	In case of any deviation or alteration the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) Imposed and to incorporate additional environmental protection measures require any	Agreed and Noted.
9.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under Hazardous Wastes (Management and	Agreed and Noted.

Sr. No.	EC condition	Reply
	Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	
10.	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1 <sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Agreed and Noted.

### **ANNEXURE LIST**

<b>Annexure No.</b>	<b>Details</b>
1.	Current Status
2.	Environment Clearance Letter
3.	Consent to Establish
4.	Consent to operate
5.	Approved Layout
6.	Occupancy certificate
7.	Commencement Certificate
8.	Fire NOC
9.	SWD NOC
10.	Water balance details
11.	Solid waste Management details
12.	Sanitary and Hygiene Measures
13.	Details of Sewage Treated Plant
14.	Parking Details
15.	Monitoring Report
16.	Landscape With Tree Details
17.	Corporate Social Responsibility
18.	Budgetary allocation and expenditure for EMP
19.	Energy details
20.	Strom water drainage & Rainwater harvesting
21.	Data sheet for Annexure A, B, and C

**ANNEXURE NO. 1 : CURRENT STATUS**

Sr. No	Buildings	Floors	Current Status
1.	Type A1	St+23	Not started/Removed and Know as R
2.	Wing A ,B	St+ 7	OC obtained
3.	Wing D,E,F, G, H,I, J	St+ 7	OC obtained
4.	Wing C	St+18	Misellenious internal work in progress
5.	Wing C1	St+12	Misellenious internal work in progress
6.	Wing L	St+23	All RCC slabs completed, Brick work 18th floor completed. Internal plaster work 15th floor completed
7.	Wing M	St+23	all slabs completed, internal work is in progress
8.	Wing N	St+23	all slabs completed, internal work is in progress.
9.	Wing O, P	St+23	P & Q Merged & known as O. NEW proposed/not started work.
10.	Wing Q	St+23	S & T MERGED & Known as Q. New proposed/not started work.
11.	Wing R	St+6	A1 Renamed known as R. New proposed/not started work.
12.	Wing S , T	St+23	A2 Renamed known as S. New proposed/not started work.
13.	Club House	G+1	completed
14.	Wing K	St+23	New Proposed/ Not started work.

**SITE PHOTOGRAPHS**





**M WING**



**C1 & C WING**



**Club House**



**ANNEXURE NO.2 : ENVIRONMENTAL CLEARANCE**

**Government of Maharashtra**

EC

28

SEAC-2013/ CR-358 /TC-1  
Environment department  
Room No. 217, 2<sup>nd</sup> floor,  
Mantralaya Annexe,  
Mumbai- 400 032.  
Dated: 21<sup>st</sup> February, 2015.

To,  
M/s. Tharwani Constructions Pvt. Ltd.  
310-313 Persipolis Premises Co. op. Soc Ltd.,  
Plot No. 74, Sector 17, Vashi,  
Navi Mumbai

**Subject: Environment Clearance for proposed residential development on survey and Hissa No. 135/3A,138/2,134/2,134/1 opposite to Shiv Mandir, Barvi Dam road, Chikhloli, village Badlapur (w), Mumbai by M/s Tharwani Construction P L**

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 22<sup>nd</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 70<sup>th</sup> & 80<sup>th</sup> meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8(a) B2 as per EIA Notification 2006.

**Brief Information of the project submitted by you is as-**

Name of the Project	Meghna Mountania - Residential Project at Survey and Hissa No135/3A,138/2, 134/2, 134/1,Opp Shiv Mandir, Barvi Dam Road, Chikhloli Village, Ambernath - West.
Project Proponent	M/s. Tharwani Constructions Pvt. Ltd.
Consultant	M/s. Enviro Analysts & Engineers Pvt. Ltd.
Type of Project:	Housing Project
Location of the project	Survey and Hissa No135/3A,138/2, 134/2, 134/1,Opp Shiv Mandir, Barvi Dam Road, Chikhloli Village, Badlapur - West.
Whether in Corporation/municipal/ other area	Ambernath Muncipal Council (AMC)
Applicability of the DCR	AMC DCR
Note on the initiated work (if applicable)	No work has been commenced
LOI/NOC from MHADA/ other	Not applicable

approvals (If Applicable)		
Total plot area (sq.m.) Deductions Net Plot Area	Total plot area: 39560.00 Sq. m Deductions: Nil Net plot area: 39560.00 Sq. m	
Permissible FSI (including TDR etc.)	0.85 + 0.8 TDR	
Proposed Built Up Area(FSI & Non FSI)	FSI Area: 65230.30 Sq. m Non FSI Area: 38822.92 Sq. m Total BUA : 104053.22 Sq. m	
Ground Coverage Area (percentage of plot not open to sky)	Ground coverage area (Sq. m)	Ground coverage area (%)
	10803.62	27
Estimated Cost of the project	Rs. 250 Crores	
Number of Buildings & configuration(s)	40 (G/ST + 7)	
Number of tenants and shops	No. of flats: 1336	
Number of expected residents/users	6680	
Tenement density per hectare	338/ hectare	
Height of Building(s)	22.80 m	
Right of way (Width of the road from the nearest fire station to the proposed building(s)	18 m wide road	
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation	7.5 m	
Existing Structure(s)	Nil	
Details of the demolition with disposal (If applicable)	Not applicable	
Total Water Requirement	Water requirement for entire project Dry Season: <ul style="list-style-type: none"> <li>• Fresh water (KLD): 606 &amp; Source: KBMC</li> <li>• Recycled water (KLD): 352</li> <li>• Total Water Requirement (KLD): 958</li> <li>• Swimming pool make up (cum): NA</li> <li>• Fire fighting (cum):100</li> </ul> Wet Season <ul style="list-style-type: none"> <li>• Fresh water (KLD): 606 &amp; Source: KBMC (190 KLD) &amp; Rain</li> </ul>	

	<ul style="list-style-type: none"> <li>water harvesting (416 KLD)</li> <li>Recycled water (KLD): 301</li> <li>Total Water Requirement (KLD): 907</li> <li>Swimming pool make up (cum): NA</li> <li>Fire fighting (cum): 100</li> </ul>															
Rain Water Harvesting (RWH)	<ul style="list-style-type: none"> <li>Level of the ground water table</li> <li>Size and no of RWH tank(s) and quantity: 624 cum</li> <li>Location of the RWH tanks(s): Ground level (UG)</li> <li>Size, no. of recharge pits and quantity: Nil</li> <li>Budgetary allocation (capital cost and O&amp;M cost) Capital cost: Rs. 81 Lakhs O &amp; M cost: Rs. 4 Lakh</li> </ul>															
UGT tanks	<ul style="list-style-type: none"> <li>Location(s) of the UGT tank(s)- Ground level (UG)</li> </ul>															
Strom water drainage	<ul style="list-style-type: none"> <li>Natural water drainage pattern: East - West</li> <li>Quantity of storm water: 0.45 cum/sec</li> <li>Size of SWD: Breadth: 0.65 m, Depth: 0.50 m</li> </ul>															
Sewage & Waste Water	<ul style="list-style-type: none"> <li>Sewage generation: 841 KLD</li> <li>STP Technology: MBBR</li> <li>Capacity of STP: 845 KL</li> <li>Location of the STP: Ground level</li> <li>Area : 570 Sq. m</li> <li>DG Set (during emergency):</li> <li>Budgetary allocation: Capital Cost: Rs. 213 Lakhs O&amp;M Cost: Rs 53 Lakhs</li> </ul>															
Solid Waste Management	Waste generation in the Pre Construction and Construction phase <ul style="list-style-type: none"> <li>Waste generation</li> <li>Quantity of the top soil to be preserved: Top soil (3000 cum) will be used for landscaping</li> <li>Excavated material of 13050 Brass will be totally used on site backfilling &amp; leveling.</li> <li>Disposal of the construction waste debris</li> </ul>															
	<table border="1"> <thead> <tr> <th>Waste</th> <th>Quantity</th> <th>Management</th> </tr> </thead> <tbody> <tr> <td>Scrap metal (Steel)</td> <td>70 Tonnes</td> <td>Entire scrap material generated will be sold</td> </tr> <tr> <td>Concrete waste</td> <td>700 cum</td> <td>Will be used for bedding purpose.</td> </tr> <tr> <td>Aggregate</td> <td>60 Tonnes</td> <td>Will be used for bedding purpose.</td> </tr> <tr> <td>Tiles/ marbles</td> <td>85 Sqmt</td> <td>Will be used as china mosaic and skirting.</td> </tr> </tbody> </table>	Waste	Quantity	Management	Scrap metal (Steel)	70 Tonnes	Entire scrap material generated will be sold	Concrete waste	700 cum	Will be used for bedding purpose.	Aggregate	60 Tonnes	Will be used for bedding purpose.	Tiles/ marbles	85 Sqmt	Will be used as china mosaic and skirting.
	Waste	Quantity	Management													
	Scrap metal (Steel)	70 Tonnes	Entire scrap material generated will be sold													
	Concrete waste	700 cum	Will be used for bedding purpose.													
Aggregate	60 Tonnes	Will be used for bedding purpose.														
Tiles/ marbles	85 Sqmt	Will be used as china mosaic and skirting.														

	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Paint cans</td> <td style="width: 40%;">3000 Paint cans</td> <td style="width: 35%;">Will be sold</td> </tr> </table> <p>Waste generation in the operation phase:</p> <ul style="list-style-type: none"> <li>• Dry waste : 1336 Kg/day</li> <li>• Wet waste: 2004 Kg/day</li> <li>• E-waste (Kg/month): NA</li> <li>• Hazardous waste (Kg/month): NA</li> <li>• Biomedical waste (Kg/month) (if applicable): NA</li> <li>• STP sludge (Dry sludge): 168 Kg</li> </ul> <p>Mode of Disposal of Waste:</p> <ul style="list-style-type: none"> <li>• Dry waste: To be handed over to recyclers.</li> <li>• Wet Waste: To be processed in the Organic Waste Converter. Manure generated will be used for landscaping.</li> <li>• E-Waste: NA</li> <li>• Hazardous Waste: NA</li> <li>• Biomedical Waste: NA</li> <li>• STP Sludge (Dry Sludge): To be processed in organic waste converter along with biodegradable waste</li> </ul> <p>Area Requirement:  Location(s) and total area provided for the storage and treatment of the solid waste:  Location: Ground level  Area: 100 Sq. m</p> <p>Budgetary allocation (capital cost and O&amp;M cost)  Capital Cost: Rs. 13 Lakhs  O &amp; M Cost: Rs.6 Lakhs</p>	Paint cans	3000 Paint cans	Will be sold																					
Paint cans	3000 Paint cans	Will be sold																							
Green Belt Development	<p>Total R.G. Area:</p> <ol style="list-style-type: none"> <li>1. RG area other than green belt (please specify for playground, etc.)</li> <li>2. RG area under green belt: <ul style="list-style-type: none"> <li>• RG on Ground: 5932.50 Sq. m (15 %)</li> <li>• RG on Podium: Nil</li> </ul> </li> <li>3. Plantation: <ul style="list-style-type: none"> <li>• Number and list of trees species to be planted in the ground  RG: 395 No's</li> </ul> </li> </ol> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Sr. No.</th> <th style="width: 30%;">Botanical Name</th> <th style="width: 30%;">Common Name</th> <th style="width: 30%;">Number</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Azadirachata indica</i></td> <td>Neem Tree</td> <td>50</td> </tr> <tr> <td>2</td> <td><i>Millingtonia hortensis</i></td> <td>Indian Cork tree</td> <td>50</td> </tr> <tr> <td>3</td> <td><i>Cordia sebestena</i></td> <td>Scarlet cordia</td> <td>50</td> </tr> <tr> <td>4</td> <td><i>Polyalthia longifolia</i></td> <td>Mast tree</td> <td>50</td> </tr> <tr> <td>5</td> <td><i>Caryota mitis</i></td> <td>Fishtail palm</td> <td>50</td> </tr> </tbody> </table>	Sr. No.	Botanical Name	Common Name	Number	1	<i>Azadirachata indica</i>	Neem Tree	50	2	<i>Millingtonia hortensis</i>	Indian Cork tree	50	3	<i>Cordia sebestena</i>	Scarlet cordia	50	4	<i>Polyalthia longifolia</i>	Mast tree	50	5	<i>Caryota mitis</i>	Fishtail palm	50
Sr. No.	Botanical Name	Common Name	Number																						
1	<i>Azadirachata indica</i>	Neem Tree	50																						
2	<i>Millingtonia hortensis</i>	Indian Cork tree	50																						
3	<i>Cordia sebestena</i>	Scarlet cordia	50																						
4	<i>Polyalthia longifolia</i>	Mast tree	50																						
5	<i>Caryota mitis</i>	Fishtail palm	50																						

	6	<i>Roystonea regia</i>	Royal Palm	50
	7	<i>Michelia champaca</i>	Sonchapha	50
	8	<i>Nyctanthes arbortristis</i>	Parijatak	45
	Total			395

- Number and list of shrubs and bushes species to be planted in the podium RG: Nil
- Number and list of trees species to be planted around the border of nallah/stream/pond(if any): NA
- Number, size, age and species of trees to be cut, trees to be transplanted: Nil
- NOC for the tree cutting/transplantation/ compensatory plantation, if any: NA
- Budgetary allocation (Capital cost and O&M cost)  
For Landscaping :  
Capital Cost: Rs.15 Lakhs  
O & M Cost: Rs.1 Lakhs

Energy

Power Supply:

- Energy consumption:

Particulars	Details
Connected Load	12258 KW
Maximum Demand	7701 KW

- Source: MSEDCL

Energy saving by Non-conventional method:  
Road/Landscape - 60% Solar Lighting  
Parking - T5 lights  
Lobby & staircase LED lights - 60% Solar  
Lifts - with VFD & Regenerative Type  
Solar Hot Water system

- Details calculations & % of saving: 5 %

Energy Savings Summary for Building 1 To 40					
Sr.No	Items	Total Elect. Demand□	Elect. demand	Units Saved	Energy saving
	Energy Saving				
1	Road/Landscape	2	0.8	1.2	60%
2	Parking □ T5	20	15	5.0	25%
3	Lobby &	16	6.4	9.5	60%
4	Lifts □ with	700	490	210.0	30%
5	Solar Hot Water	5344	4542	801.6	15%

	Conventional																											
6	Plumbing	133	133																									
7	OWC	3	3																									
8	STP	15	15																									
9	FF Plant Room	4	4																									
10	Substation	4	4																									
11	Flats	13360	13360																									
	Total	19.600	18.573	1.027																								
Overall Saving for the Project				5%																								
Total Units saved based on Unit Consumption □				1027																								
Total Units saved based on working hours □				2,421																								
Total Units saved annually □ (kwh/Yr)				883,843																								
Annual Savings in Rs with Electrical cost				4,419,215																								
<ul style="list-style-type: none"> <li>• Compliance of the ECBC guidelines: (Yes/No) (If yes then submit compliance in tabular form) -- Yes</li> <li>• Budgetary allocation (capital cost and O&amp;M cost) –  For Solar Energy system :  Capital Cost: Rs. 22 Lakhs  O &amp; M Cost: Rs 2 Lakhs</li> </ul>																												
<b>DG Set:</b> <ul style="list-style-type: none"> <li>• Number and capacity of the DG sets to be used:  DG Sets: 2 X 250 KVA</li> <li>• Type of fuel used: HSD</li> </ul>																												
Environmental Management plan Budgetary Allocation	<b>I. Construction phase(with Break – up) –</b> <ul style="list-style-type: none"> <li>• Capital cost</li> <li>• O &amp; M cost (please ensure manpower and other details)</li> </ul>																											
	<b>II. Operation Phase (with Break-up)-</b> <ul style="list-style-type: none"> <li>❖ Capital cost</li> <li>❖ O &amp; M cost (please ensure manpower and other details)</li> </ul> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Particulars</th> <th>Setting-up Cost (Rs. in Lakhs)</th> <th>Annual O &amp; M Cost (Rs. in Lakhs)</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>RWH</td> <td>81</td> <td>4</td> </tr> <tr> <td>2.</td> <td>MSW</td> <td>13</td> <td>6</td> </tr> <tr> <td>3.</td> <td>STP</td> <td>213</td> <td>53</td> </tr> <tr> <td>4.</td> <td>Solar energy system</td> <td>22</td> <td>2</td> </tr> <tr> <td>5.</td> <td>Landscaping</td> <td>15</td> <td>1</td> </tr> </tbody> </table>					Sr. No.	Particulars	Setting-up Cost (Rs. in Lakhs)	Annual O & M Cost (Rs. in Lakhs)	1.	RWH	81	4	2.	MSW	13	6	3.	STP	213	53	4.	Solar energy system	22	2	5.	Landscaping	15
Sr. No.	Particulars	Setting-up Cost (Rs. in Lakhs)	Annual O & M Cost (Rs. in Lakhs)																									
1.	RWH	81	4																									
2.	MSW	13	6																									
3.	STP	213	53																									
4.	Solar energy system	22	2																									
5.	Landscaping	15	1																									

		Total Cost	344	66
	<ul style="list-style-type: none"> <li>❖ Quantum and generation of Corpus fund and commitment</li> <li>❖ Responsibility for further O &amp; M</li> <li>➤ After occupancy, Co-Op societies will be formed. The societies will form a federation.</li> <li>➤ The Operation and Maintenance of Environmental management facilities (EMF) shall be taken care by the developers for first three years.</li> <li>➤ Afterwards, EMF shall be handed over to society/ federation.</li> <li>➤ Funds for recurring cost on EMP shall be generated from the tenants of the society by specifically mentioning in the sale agreement</li> </ul>			
Traffic Management	<p>Nos. of the junction to the main road &amp; design of confluence: 18m wide DP Road</p> <p>Parking Details:</p> <ul style="list-style-type: none"> <li>• Total parking area: 6899.382 Sq. m.</li> <li>• Area per Car: 28 Sq. m</li> <li>• 4-wheelers: Required: 238 No's, Provided: 238 No's</li> </ul> <p>Width of all internal roads (m): 6 m &amp; 9 m wide roads</p>			

3. The proposal has been considered by SEIAA in its 70<sup>th</sup> & 80<sup>th</sup> meetings & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

**General Conditions for Pre- construction phase:-**

- (i) This environmental clearance is issued subject to utilization of excess treated water.
- (ii) This environmental clearance is issued subject to (a) STP capacity to be increased appropriately considering waste water generation. (b) Rain water harvesting calculations shall be based on geotechnical report and the geotechnical report shall be followed in letter and spirit. (c) A corpus to be built for STP maintenance which shall be separately kept in a separate Bank account to be used solely for maintenance of STP. An agreement shall also be executed with the society for ensuring smooth operation of STP when the maintenance work is handed over to the Cooperative Housing Society
- (iii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it

does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (iv) Occupation certificate shall be issued to the project only after ensuring availability of drinking water and connectivity of the sewer line to the project site.
- (v) STP capacity shall be increased appropriately considering waste water generation.
- (vi) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (vii) PP has to abide by the conditions stipulated by SEAC & SEIAA.
- (viii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (ix) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (x) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

#### **General Conditions for Construction Phase-**

- (i) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (iii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (iv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (v) Arrangement shall be made that waste water and storm water do not get mixed.
- (vi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (vii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (viii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (ix) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.



- (x) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xi) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xiii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xv) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xvi) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xvii) Ready mixed concrete must be used in building construction.
- (xviii) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xix) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xx) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxi) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxii) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxiii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxiv) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

- (xxvi) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxvii) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxviii) Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxix) Diesel power generating sets proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxx) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xxxi) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xxxii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- (xxxiii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xxxiv) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xxxv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xxxvi) Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.


#### **General Conditions for Post- construction/operation phase-**

- (i) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed

and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.

- (ii) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (iii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (iv) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (vi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (vii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (viii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (ix) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (x) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

- (xiii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
  5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
  6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
  7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
  8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
  9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution ) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling ) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
  10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


  
(Ajoy Mehta)  
Principal Secretary,  
Environment department &  
MS, SEIAA

**Copy to:**

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.

2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021.
3. Additional Secretary, MOEF, 'MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Thane.
7. Collector, Thane.
8. CEO, Kulgaon-Badlapur Municipal Council, Badlapur.
9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
10. Select file (TC-3)

(EC uploaded on 2/3/2015 )



Environment department,  
Room No. 217, 2nd floor,  
Mantralaya, Annexe,  
Mumbai- 400 032.  
Date: January 15, 2020

To,  
**M/s. Tharwani Constructions Pvt Ltd**  
at Plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village - Chikhaloli

Subject: Environment Clearance for Amendment of Residential project - Meghna Montana at Plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village - Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 123rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 184th meetings.

2. It is noted that the proposal is considered by SEAC-II under screening category 8 (a), B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Amendment of Residential project - Meghna Montana
2.Type of institution	Private
3.Name of Project Proponent	M/s. Tharwani Constructions Pvt Ltd
4.Name of Consultant	M/s. Enviro Analysts & Engineers Pvt Ltd
5.Type of project	Residential Project
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	EC received letter no. SEAC-2013/CR-358/TC-1 dtd 21.02.2015
8.Location of the project	Plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D at village - Chikhaloli
9.Taluka	Ambarnath
10.Village	Chikhaloli
Correspondence Name:	M/s. Tharwani Constructions Pvt Ltd
Room Number:	310-313
Floor:	3rd floor
Building Name:	Persipolis Promises Co-op Soc Ltd
Road/Street Name:	Plot No. 74, Sector - 17
Locality:	Vashi
City:	Navi Mumbai
11.Whether in Corporation / Municipal / other area	Ambarnath Municipal Council (AMC)
12.IOD/IOA/Concession/Plan Approval Number	CC received IOD/IOA/Concession/Plan Approval Number: AMC/NRV/BP/19-20/849/8972/61 dtd 26.09.2019 Approved Built-up Area: 81962
13.Note on the initiated work (If applicable)	As per previous EC received dtd 21.02.2013 Building Type A, B, D, E, F, G, H, I, J are constructed.
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	IOD dated 26/09/2019
15.Total Plot Area (sq. m.)	42580.00
16.Deductions	7067

SEIAA Meeting No: 184 Meeting Date: December 30, 2019 (  
SEIAA-STATEMENT-0000001344 )  
SEIAA-MINUTES-0000002873  
SEIAA-EC-0000002295

Page 1 of 12

Shri. Anil Diggikar (Member Secretary  
SEIAA)


17.Net Plot area	35271.90
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 81,962.54
	Non FSI area (sq. m.): 41,940.88
	Total BUA area (sq. m.): 123903.42
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): 81,962.54
	Approved Non FSI area (sq. m.): 41,940.88
	Date of Approval: 26-09-2019
19.Total ground coverage (m2)	6625.47 sq.mt
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	18.78 %
21.Estimated cost of the project	2500000000



# Government of Maharashtra

SEIAA Meeting No: 184 Meeting Date: December, 30, 2019 ( SEIAA-STATEMENT-0000001344 )  
SEIAA-MINUTES-0000002873  
SEIAA-EC-0000002295

Page 2 of 12

  
Shri. Anil Diggikar (Member Secretary SEIAA)

22. Production Details				
Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable
23. Total Water Requirement				
Dry season:	Source of water	AMC/ STP Treated water		
	Fresh water (CMD):	675		
	Recycled water - Flushing (CMD):	338		
	Recycled water - Gardening (CMD):	56		
	Swimming pool make up (Cum):			
	Total Water Requirement (CMD):	1069		
	Fire fighting - Underground water tank (CMD):	1050		
	Fire fighting - Overhead water tank (CMD):	30		
Wet season:	Source of water	AMC/ STP Treated water/RWH		
	Fresh water (CMD):	675		
	Recycled water - Flushing (CMD):	338		
	Recycled water - Gardening (CMD):	0		
	Swimming pool make up (Cum):			
	Total Water Requirement (CMD):	1013		
	Fire fighting - Underground water tank (CMD):	1050		
	Fire fighting - Overhead water tank (CMD):	30		
Excess treated water	457			
Excess treated water	513			
Details of Swimming pool (If any)	one swimming pool			

Government of Maharashtra



22.Production Details				
Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable
23.Total Water Requirement				
Dry season:	Source of water	AMC/ STP Treated water		
	Fresh water (CMD):	675		
	Recycled water - Flushing (CMD):	338		
	Recycled water - Gardening (CMD):	56		
	Swimming pool make up (Cum):			
	Total Water Requirement (CMD) :	1069		
	Fire fighting - Underground water tank(CMD):	1050		
	Fire fighting - Overhead water tank(CMD):	30		
	Excess treated water	457		
Wet season:	Source of water	AMC/ STP Treated water/RWH		
	Fresh water (CMD):	675		
	Recycled water - Flushing (CMD):	338		
	Recycled water - Gardening (CMD):	0		
	Swimming pool make up (Cum):			
	Total Water Requirement (CMD) :	1013		
	Fire fighting - Underground water tank(CMD):	1050		
	Fire fighting - Overhead water tank(CMD):	30		
	Excess treated water	513		
Details of Swimming pool (if any)	one swimming pool			

Government of  
**Maharashtra**

24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
25.Rain Water Harvesting (RWH)	Level of the Ground water table:		3.5 m to 3.7 m bgl						
	Size and no of RWH tank(s) and Quantity:		10 nos. of tanks with total capacity of 400 cum (2days capacity)						
	Location of the RWH tank(s):		Below ground level						
	Quantity of recharge pits:		Nil						
	Size of recharge pits :		Nil						
	Budgetary allocation (Capital cost) :		Rs. 84 Lakhs						
	Budgetary allocation (O & M cost) :		Rs. 4.2 Lakhs/yr						
	Details of UGT tanks if any :		Domestic water tank 681 cum Flushing water tank 404 cum Fire water Tank 1050 cum						
26.Storm water drainage	Natural water drainage pattern:		north to south						
	Quantity of storm water:		0.54 cum/sec						
	Size of SWD:		600.mm X 600 mm						
27.Sewage and Waste water	Sewage generation in KLD:		948 KLD						
	STP technology:		MBBR						
	Capacity of STP (CMD):		2 nos. of STP with total capacity of 975 KLD						
	Location & area of the STP:		Below ground level						
	Budgetary allocation (Capital cost):		Rs. 143 Lakhs						
	Budgetary allocation (O & M cost):		Rs. 36 Lakhs/yr						

## 28.Solid waste Management


<b>Waste generation in the Pre Construction and Construction phase:</b>	<b>Waste generation:</b>	Recyclable waste will be generated like empty cement bags & cans, scrap metal etc. Debris & construction waste shall be generated.
	<b>Disposal of the construction waste debris:</b>	Recyclable waste like empty cement bags & empty paint cans shall be handed over to local vendors. Broken tiles shall be used for china mosaic of terrace. Scrap metals shall be sold to recyclers.
<b>Waste generation in the operation Phase:</b>	<b>Dry waste:</b>	1518 kg/day
	<b>Wet waste:</b>	2259 kg/day
	<b>Hazardous waste:</b>	NA
	<b>Biomedical waste (If applicable):</b>	NA
	<b>STP Sludge (Dry sludge):</b>	47 kg/day
	<b>Others if any:</b>	NA
<b>Mode of Disposal of waste:</b>	<b>Dry waste:</b>	Will be handed over to Local Recyclers.
	<b>Wet waste:</b>	Will be processed in the OWC, manure obtained shall be used for landscaping / Gardening. Excess manure shall be sold to nearby end users
	<b>Hazardous waste:</b>	Not Applicable
	<b>Biomedical waste (If applicable):</b>	Not Applicable
	<b>STP Sludge (Dry sludge):</b>	To be used as manure & replacement of saw dust for OWC
	<b>Others if any:</b>	Not Applicable
<b>Area requirement:</b>	<b>Location(s):</b>	Located at Ground Level
	<b>Area for the storage of waste &amp; other material:</b>	153 sq.m
	<b>Area for machinery:</b>	17 sq.m
<b>Budgetary allocation (Capital cost and O&amp;M cost):</b>	<b>Capital cost:</b>	Rs. 16 Lakhs
	<b>O &amp; M cost:</b>	Rs. 4.06 Lakhs/yr

# Government of Maharashtra

29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			



**Government of  
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	Not applicable	Not applicable	Not applicable	Not applicable			
Source of Fuel		Not applicable					
Mode of Transportation of fuel to site		Not applicable					
33.Energy							
Power requirement:	Source of power supply :	MSEDCL					
	During Construction Phase: (Demand Load)	100 kW					
	DG set as Power back-up during construction phase	75 KVA					
	During Operation phase (Connected load):	8755 kW					
	During Operation phase (Demand load):	5263 kW					
	Transformer:	2 X 380 KVA & 1 X 125 KVA					
	DG set as Power back-up during operation phase:	2 X 380 KVA & 1 X 125 KVA					
	Fuel used:	HSD					
Details of high tension line passing through the plot if any:	NA						
34.Energy saving by non-conventional method:							
Hotwater provision made using Solar Hotwater system LED lights used for Staircase & Lobby LED Lights put on Solar PV Panels LED lights used for Ext. Road Lighting							
36.Detail calculations & % of saving:							
Serial Number	Energy Conservation Measures			Saving %			
1	total energy savings			13%			
37.Details of pollution control Systems							
Source	Existing pollution control system			Proposed to be installed			
Not applicable	Not applicable			Not applicable			
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs.46 Lakh					
	O & M cost:	Rs.5.00 Lakh					
SEIAA Meeting No: 184 Meeting Date: December 30, 2019 ( SEIAA-STATEMENT-0000001344 ) SEIAA-MINUTES-0000002873 SEIAA-EC-0000002295				Page 7 of 12		 Shri. Anil Diggikar (Member Secretary SEIAA)	

### 38.Environmental Management plan Budgetary Allocation

#### a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	Air Environment	Water Sprinkling, Green Belt Development, Covered storage area	4
2	Noise Environment	Noise Baricades and Green Belt Developments	3
3	Water Environment	Modular STP , Drainage with sedimentation tanks	3
4	Good Health Practices	Site Sanitation & Health Care	3
5	Environment Monitoring	Environment Monitoring	3

#### b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost-Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Water Environment	RWH	84	4.2
2	Water Environment	STP	143	36
3	Solid waste management	OWC	16	4.02
4	Energy Savings	Solar	46	5
5	Land environment	Landscaping	15	2

### 39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption /Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 40.Any Other Information

No Information Available

Government of Maharashtra

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	B (a), B2
Court cases pending if any	NA
Other Relevant Informations	NA
Have you previously submitted Application online on MOEF Website.	Yes
Date of online submission	01-08-2018

3. The proposal has been considered by SEIAA in its 184th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

**Specific Conditions:**

I	PP to upload the contour map.
II	The planning authority to ensure that no occupation certificate is given to the Project till surplus discharge from STP of the Project is connected to duly developed and commissioned sewage disposal system of the planning authority respectively.
III	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.
IV	PP to submit CER prescribed by MoEF&CC circular dated 1.5.2018 relevant to the area and people around the project. The specific activities to be undertaken under CER to be carried out in consultation with Municipal Corporation or collector or Environment Department.
V	PP to ensure that CER plan gets approved from Municipal Commissioner/District Collector.
VI	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
VII	SEIAA decided to grant EC for -FSI: 81,962.54 m <sup>2</sup> , Non-FSI: 41,940.88 m <sup>2</sup> and Total BUA: 123903.42 m <sup>2</sup> ( Plan Approval no-AMC/NRV/BP/19-20/849/8972/61- Date-26.09.2019)

**General Conditions:**

I	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
II	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
III	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment* shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

SEIAA Meeting No: 184 Meeting Date: December 30, 2019 ( SEIAA-STATEMENT-0000001344 )  
SEIAA-MINUTES-0000002873  
SEIAA-EC-0000002295

X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CCWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

SEIAA Meeting No: 184 Meeting Date: December 30, 2019 ( SEIAA-STATEMENT-0000001344 )  
SEIAA-MINUTES-0000002873  
SEIAA-EC-0000002295

Page 10 of 12

  
Shri. Anil Diggikar (Member Secretary SEIAA)



XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a> .
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.




Shri. Anil Diggikar (Member Secretary SEIAA)

**Copy to:**

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE, CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER THANE
10. REGIONAL OFFICE MPCB THANE
11. REGIONAL OFFICE MIDC AMBERNATH
12. REGIONAL OFFICE MIDC THANE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE THANE

Government of  
Maharashtra

ANNEXURE NO.3: CONSENT TO ESTABLISH

MAHARASHTRA POLLUTION CONTROL BOARD				
Phone :	4010437/4020781 /4037124/4035273		Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400022	
Fax :	24044532/4024068 /4023516			
Email :	rohq@mpcb.gov.in			
Visit At :	<a href="http://mpcb.gov.in">http://mpcb.gov.in</a>			
Infrastructure /Orange/LSI Consent order No: Format1.0/BO/JD(WPC) /UAN-0000053300 /CE/CC-			1905000141	Date- <del>10/04/2019</del> 03/05/2019
To, M/s. Tharwani Constructions Pvt. Ltd. Plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D(P), 134/2, village – Chikhaloli, Tal: Ambernath, , Dist – Thane				
Subject: Consent to Establish Expansion for Building/Construction Project. Orange Category.				
Ref : Minutes of Consent Committee meeting held on 14/12/2018. Your application MPCB-CONSENT-0000031125 Dated: 29/07/2018.				
For: Consent to Establish Expansion for Building/Construction project				
under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and Other Wastes (M & TM) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:				
1. The consent is granted for a period up to commissioning of the project or of 5 years whichever is earlier.				
2. The proposed capital investment of the project is Rs. 225.51 Crs. (As per C.A certificate submitted by project proponent)				
The Consent to Establish Expansion is valid for construction of Residential building Project named as M/s. Tharwani Constructions Pvt. Ltd. Plot bearing S No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D(P), 134/2, village – Chikhaloli, Tal: Ambernath, , Dist – Thane For <u>Total plot area of 42580.00 Sq. Mtrs</u> and <u>Total Construction BUA 104042.05 Sq. Mtrs</u> (including utilities and services as per construction commencement certificate issued by local body.				
3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:				
Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	954	As per Schedule -I	60% should be reused & recycled and remaining should be discharged in municipal sewer
4. Conditions under Air (P & CP) Act, 1981 for air emissions:				
Sr. No.	Description of stack/ source	Capacity	Number Of Stack	Standards to be achieved
1	DG Set	380KVA x 2	2	As Per Schedule -II
2	DG Set	125 KVA	1	As Per Schedule -II
M/s. Tharwani Constructions Pvt. Ltd. UAN -0000053300				

**5. Conditions under Solid Waste Management Rules, 2016:**

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Wet garbage	455 Kg/Day	OWC	Used as Manure
2	Dry garbage	304 Kg/Day	--	Segregate and Hand over to Local Body for recycling
3	STP sludge	48	---	Used as Manure

6. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste; NIL.
7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same should be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
10. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
11. Project Proponent shall install online monitoring systems for BOD, TSS and flow at the outlet of STP.
12. Project Proponent shall comply with conditions stipulated in EC and C to E and submit BG of Rs. 10 Lakhs towards compliance of the same & compliance of consent conditions.
13. Project Proponent shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2013/CR-358/TC-1 Date : 21/02/2015
14. The treated domestic effluent shall be 60% recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening & connected to the sewerage system provided by local body.

For and on behalf of the  
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction . No.	Date	Drawn On
1	451020.00	7612794 (NEFT)	27/07/2018	Punjab National Bank

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan-II. --  
They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updating purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to install of Sewage Treatment Plants (STP) with the design capacity of 975 CMD
- B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for PH
01	BOD (3 days 27°C )	10
02	Suspended Solids	50
03	COD	100

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

The Board reserves its rights to review plans, Specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant should obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto

- 2) The industry should ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	1022

- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S %	SO <sub>2</sub>
1.	DG Set (380 X 2 KVA)	Acoustic enclosure	5.0	HSD	190.0	Kg/Hr	-	-
2	DG Set (125KVA)	Acoustic enclosure	5.0	HSD	31.25	Kg/Hr	-	-

\* Above roof of the building in which it is installed.

2. The applicant should operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

3. The Applicant should obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.

The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish Expansion	Rs. 10 lakh	15 Days	Towards Compliance of EC conditions.	Up to Commissioning of the project	Five years

*Maharashtra Pollution Control Board*

#### Schedule-IV

##### General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2013/CR-358/TC-1 Date : 21/02/2015
- 2) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 3) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 4) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 5) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 6) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - g) D.G. Set shall be operated only in case of power failure.
  - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 7) Solid Waste – The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 8) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



ANNEXURE NO. 04 CONSENT TO OPERATE



Maharashtra Pollution Control Board  
61fa6d344e12d856ca75a078

**MAHARASHTRA POLLUTION CONTROL BOARD**

Tel: 24010706/24010437  
Fax: 24044532/4024068/4023516  
Website: <http://mpcb.gov.in>  
Email: [jdwater@mpcb.gov.in](mailto:jdwater@mpcb.gov.in)

Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I  
No: Format1.0/CC/UAN No.0000118300/CO 2202000177 Date: 02/2/2022

To,  
M/s. THARWANI CONSTRUCTIONS PVT  
LTDC & CI of "Meghna Montana"  
Proposed residential project located at  
Plot bearing S No. 135/3A, 138 (P),  
138/1D, 138/2, 134/1A, 1B, 1C, 1D, 134/2,  
village - Chikhaloli, Taluka Ambernath,  
Dist. - Thane.

**Sub: 2nd Consent to Operate (Part-II) with Amalgamation with 1st Consent to Operate (part-I) for Construction of Residential Project Granted Under Red Category**

Ref:

1. Consent to Establish for Expansion granted vide No. Format1.0/BO/d(WPC)/UAN-0000053300/CE/CC-1905000141 dtd. 03.05.2019
2. Auto Renewal of 1st Consent to Operate (Part-I) granted vide no. Format1.0/CC/UANNo.0000117511/CR-2110000397 dtd. 07.10.2021.
3. Environment Clearance granted vide no. SEIAA EC-0000002295 dtd 15.01.2020.
4. Minutes of 15th Consent Committee meeting held on 30.12.2021.

Your application NO. MPCB-CONSENT-0000118300 .

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. The 2nd Consent to Operate (Part-II) with Amalgamation with 1st Consent to Operate (part-I) is granted for period valid up to: 31/08/2025
2. The capital investment of the project is Rs. ( Rs. 23.90 Crs for Part-II + Rs. 46.1 Crs for Part-I) = 70 Cr. (As per C.A Certificate submitted by industry).

M/s. Tharwani Constructions Pvt Ltd./COUAN No. MPCB-CONSENT-0000118300 (17-01-2022 11:49:25 am)/QMS\_P06\_F02/00 Page 3 of 7

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**

3. The 2nd Consent to Operate (Part-II) with Amalgamation with 1st Consent to Operate (part-I) is valid for Construction of Residential Project named as M/s. Tharwani Constructions Pvt Ltd, Same as Above, C & C1 of "Meghna Montana" Proposed residential project located at Plot bearing S No. 135/3A, 138 (P), 138/1D, 138/2, 134/1A, 1B, 1C, 1D, 134/2, village - Chikhaloli, Taluka Ambernath, Dist. - Thane. on Total Plot Area of 42580.00 SqMtrs for Completed construction BUA of (11,950.15 Sq mtrs + 18,816.49 sq.mtrs) = 30,766.64 sq.mtrs out of Total Construction BUA of 123903.42 SqMtrs as per EC granted dated 15.01.2020 including utilities and services

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to Establish dtd. 03.05.2019	42580.00	104042.05
2	Auto Renewal of 1st Consent to operate (Part) dt: 07/10/2021	42580.00	18816.49

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	235	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG (320 KVA)	1	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	STP SLUDGE	33 Kg/Day	filter press	used as manure
2	DRY WASTE	408 Kg/Day	Segregation	Will be hand over to local recycler
3	WET WASTE	612 Kg/Day	Will be compost	used as manure

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
				NA	

- PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.
- PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS.


Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**

10. The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.
11. Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility.
12. Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.
13. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC /CRZ clearance and C to O
14. Project Proponent shall comply with conditions stipulated in the Environment Clearance granted by SEIAA vide no. SEIAA EC-0000002295 dtd 15.01.2020.
15. This 2nd Consent to Operate (Part-II) with Amalgamation with 1st Consent to Operate (part-I) consent letter has been issued with overriding effect over earlier issued Auto Renewal of 1st Consent to Operate (Part-I) granted vide no. Format1.0/CC/UANNo.0000117511/CR-2110000397 dtd. 07.10.2021 which is valid up to: 31/08/2025

For and on behalf of the  
Maharashtra Pollution Control Board.

  
(Ashok Shingare IAS),  
Member Secretary

**Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	200000.00	MPCB-DR-7388	10/08/2021	RTGS
2	300000.00	MPCB-DR-7389	10/08/2021	RTGS

**Copy to:**

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan II  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**

**SCHEDULE-I**

**Terms & conditions for compliance of Water Pollution Control:**

- 1) A) As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 290 CMD for treatment of domestic effluent of 235 CMD.
- B) The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Colliform	less than 100

- C) The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	304.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**

**SCHEDULE-II**

**Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
1	DG Set 320 KVA	Acoustic enclosure	5	HSD	45 Ltr/Hr

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm <sup>3</sup>
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - The toilet shall be provided with exhaust system connected to chimney through ducting.
  - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

**SCHEDULE-III**

**Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C 2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	2nd Consent to Operate (part)	Rs. 10 Lakh	15 days	Towards Compliance of EC & Consent conditions	31/08/2025	31/12/2025

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.  
# Existing BG obtained for above purpose if any may be extended for period of validity as above.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.

61fa6d344e12d856ca75a078



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**

BG Forfeiture History						
Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						
BG Return details						
Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Purpose of BG	Amount of BG Returned		
NA						

**SCHEDULE-IV**

**General Conditions:**

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- Conditions for D.G. Set
  - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.


URL: <https://www.mahapcb.org/Blockchain/61fa6d344e12d856ca75a078>



**Maharashtra Pollution Control Board**  
**61fa6d344e12d856ca75a078**


- 6 Solid Waste – The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

For and on behalf of the  
Maharashtra Pollution Control Board.

  
(Ashok Shingare IAS),  
Member Secretary

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.

**ANNEXURE NO: 05 APPROVED LAYOUT**





ANNEXURE NO: 06 Occupancy Certificate for wing A, wing B, wing D, wing E, wing F, wing G, wing H, wing I, wing J



## अंबरनाथ नगरपरिषद, अंबरनाथ

जा.क्र.अंनप/नरवि/१८-१९/ ६३२

अंबरनाथ नगरपरिषद, अंबरनाथ

दिनांक : २३/०८/२०१८

भागश : बांधकाम पूर्णतेचा दाखला / भोगवटा प्रमाणपत्र

प्रति,

मे.थारवाणी कन्स्ट्रक्शन प्रा.लि. डायरेक्टर श्री.सुनिल एच.थारवाणी  
द्वारा मे.विटान कन्स्ट्रक्शन तर्फे श्री.अनिल अर.निरगुडे, वास्तुशिल्पकार

मे.विटान कन्स्ट्रक्शन तर्फे श्री.अनिल अर.निरगुडे, वास्तुशिल्पकार/ अभियंता परवाना क्र. CA-81/6472 यांचे दिनांक २९/०६/२०१८ च्या अर्जावरून दाखला देण्यात येतो की, त्यांनी अंबरनाथ नगरपरिषद हद्दीत, मौजे धिखलोली, सध्दे नं. १३५/३अ, १३८/१(पै.), १३८/२, १३४/१ अ, ब, क, ड(पै.), स.क्र.१३४/२ अंबरनाथ नगरपरिषद यांचे कडील बांधकाम परवानगी (१) जावक क्रमांक अंनप/नरवि/बां/२०१७-२०१८/६५०/८७५०/३८ दिनांक २७/०७/२०१७ (२) सुधारीत परवानगी जा.क्र.अंनप/नरवि.बां/१७-१८/२२२७/८०३/८५ दि.०८/१२/२०१७ अन्वये मंजूर केलेल्या नकाशे प्रमाणे राहणेसाठी बांधकाम पुर्ण केले आहे. सबब त्यांना सोबतच्या नकाशामध्ये हिरव्या रंगाने दुरुस्ती दाखविल्याप्रमाणे तसेच खालील अटीवर बांधकामाची चापर परवानगी देण्यात येत आहे. (बांधकाम पुर्ण झाल्याची तारीख २८/०६/२०१८)

मजले	WING - A		WING-B		WING-D		WING-E		WING-F	
	स्टिल्ट पार्किंग करीता	सदनिका	सदनिका	सदनिका	सदनिका	सदनिका	सदनिका	सदनिका	सदनिका	सदनिका
१ तळ मजला	स्टिल्ट पार्किंग करीता		स्टिल्ट पार्किंग करीता		स्टिल्ट पार्किंग करीता		स्टिल्ट पार्किंग करीता		स्टिल्ट पार्किंग करीता	
२ पहिला मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
३ दुसरा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
४ तिसरा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
५ चौथा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
६ पाचवा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
७ सहावा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२
८ सातवा मजला	०६	२२	०६	२२	०४	१२	०४	१२	०४	१२

- जेव्हा सज्जा (बाल्कनी) बंदिस्त करण्यात आला असेल तर त्याचे समोरील व वरील १/३ क्षेत्रासाठी, लुबर्स, ग्लास, शटर्स अथवा ग्रीस लावणे अनिवार्य राहिल व पॅरापेट सोडून उर्वरित समोरील क्षेत्रासाठी ग्लॅज्ड शटर्स बंदिस्त करणे आवश्यक राहिल.
- कोणत्याही परिस्थितीत ओटला बंद करता येणार नाही. तसेच तळमजल्यास व टेरस फ्लोरला बाल्कनी बंदिस्त करणे अनुज्ञेय असणार नाही.
- भोगवटा प्रमाणपत्र सोबत दर्शविलेल्या नकाशातील बांधकामा व्यतिरिक्त इतर बांधकाम हे अनधिकृत समजण्यात येवून त्यावर महाराष्ट्र प्रादेशिक व नगर रचना अधिनियम १९६६ चे कलम ५२ ते ५६ नुसार कार्यवाही करण्यात येईल, याची नोंद घ्यावी.
- भविष्यात सामासिक अंतरातील जागा नगरपरिषदेस रस्ता रुंदीकरणासाठी आवश्यक भासल्यास हस्तांतरित करावी लागेल. टेरस व पॉकेट टेरस बंदिस्त करू नये.
- पावसाळी पाणी वाहून घाया जावू नये यासाठी रूफ टॉप हावेस्टिंग करणेत यावे व पाणी जमीनीमध्ये मुरवावे.

सहाय्यक नगररचनाकार  
अंबरनाथ नगरपरिषद, अंबरनाथ



मुख्याधिकारी व्हा मिश्रीजन प्राधिकारी  
अंबरनाथ नगरपरिषद, अंबरनाथ

प्रत : कर विभाग, अंबरनाथ नगरपरिषद



# अंबरनाथ नगरपरिषद, अंबरनाथ

जा.क्र.अंनप/नरवि/१८-१९/ ६३२  
अंबरनाथ नगरपरिषद, अंबरनाथ  
दिनांक : २३/०८/२०१८

भागशः बांधकाम पूर्णतेचा दाखला / भोगवटा प्रमाणपत्र

प्रति,

में.धारवाणी कन्स्ट्रक्शन प्रा.लि. डायरेक्टर श्री.सुनिल एच.धारवाणी  
द्वारा में.विटान कन्स्ट्रक्शन तर्फे श्री.अनिल अर.निरगुडे, वास्तुशिल्पकार

में.विटान कन्स्ट्रक्शन तर्फे श्री.अनिल अर.निरगुडे, वास्तुशिल्पकार/ अभियंता परवाना क्र. CA-81/6472 यांचे दिनांक २९/०६/२०१८ च्या अर्जावरून दाखला देण्यात येतो की, त्यांनी अंबरनाथ नगरपरिषद हद्दीत, मौजे चिखलोली, सर्व्हे नं. १३५/३अ, १३८/३(पै.), १३८/२, १३४/१ अ,ब,क,ड(पै.), स.क्र.१३४/२ अंबरनाथ नगरपरिषद यांचे कडील बांधकाम परवानगी (१) जावक क्रमांक अंनप/नरवि/बांघ/२०१७-२०१८/६५०/८७५०/३८ दिनांक २७/०७/२०१७ (२) सुधारीत परवानगी जा.क्र.अंनप/नरवि.बांघ/१७-१८/२२२७/८८०१/८५ दि.०८/१२/२०१७ अन्वये मंजूर केलेल्या नकाशे प्रमाणे राहणेसाठी बांधकाम पूर्ण केले आहे. सबब त्यांना सोबतच्या नकाशांमध्ये हिरव्या रंगाने दुरुस्ती दाखविल्याप्रमाणे तसेच खालील अटीवर बांधकामाची वापर परवानगी देण्यात येत आहे. (बांधकाम पूर्ण झाल्याची तारीख २८/०६/२०१८)

मजले	WING - G		WING-H		WING-I		WING-J		
१	तळ मजला	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	स्टिल्ट पार्किंग करीता	
		सदनिका	खोल्या	सदनिका	खोल्या	सदनिका	खोल्या	सदनिका	खोल्या
२	पहिला मजला	०४	१२	०४	१२	०४	१२	०४	१३
३	दुसरा मजला	०४	१३	०४	१३	०४	१३	०४	१३
४	तिसरा मजला	०४	१३	०४	१३	०४	१३	०४	१३
५	चौथा मजला	०४	१३	०४	१३	०४	१३	०४	१३
६	पाचवा मजला	०४	१३	०४	१३	०४	१३	०४	१३
७	सहावा मजला	०४	१३	०४	१३	०४	१३	०४	१३
८	सातवा मजला	०४	१३	०४	१३	०४	१३	०४	१३

- जेव्हा सज्जा (बाल्कनी) बंदिस्त करण्यात आला असेल तर त्याचे समोरील व वरील १/३ क्षेत्रासाठी, लुबर्स, ग्लास, शटर्स अथवा ग्रीस लावणे अनिवार्य राहिल व पॅरापेट सोडून उर्वरित समोरील क्षेत्रासाठी ब्लेंड शटर्स बंदिस्त करणे आवश्यक राहिल.
- कोणत्याही परिस्थितीत ओटला बंद करता येणार नाही. तसेच तळमजल्यास व टेरेस फ्लोअरला बाल्कनी बंदिस्त करणे अनुज्ञेय असणार नाही.
- भोगवटा प्रमाणपत्र सोबत दर्शविलेल्या नकाशातील बांधकामा व्यतिरिक्त इतर बांधकाम हे अनधिकृत समजण्यात येवून त्यावर महाराष्ट्र प्रादेशिक व नगर रचना अधिनियम १९६६ चे कलम ५२ ते ५६ नुसार कार्यवाही करण्यात येईल, याची नोंद घ्यावी.
- भविष्यात सामासिक अंतरातील जागा नगरपरिषदेस रस्ता रुंदीकरणासाठी आवश्यक भासल्यास हस्तांतरीत करावी लागेल. टेरेस व पॉकेट टेरेस बंदिस्त करू नये.
- पावसाळी पाणी वाहून वाया जावू नये यासाठी रूफ टॉप हावेस्टिंग करणेत याचे व पाणी जमीनीमध्ये मुरवावे.

सहाय्यक नगररचनाकार  
अंबरनाथ नगरपरिषद, अंबरनाथ



मुख्याधिकारी तथा नियोजन प्राधिकारी  
अंबरनाथ नगरपरिषद, अंबरनाथ

प्रत : कर विभाग, अंबरनाथ नगरपरिषद

ANNEXURE NO: 07 COMMENCEMENT CERTIFICATE



अंबरनाथ नगरपरिषद, अंबरनाथ



जावक क्रमांक / अं.न.प./नरवि/बां.प./१९-२०/७९७ <sup>८९८</sup>/<sub>२७</sub>  
अंबरनाथ नगरपरिषद कार्यालय,  
अंबरनाथ. दिनांक: ३०/१०/२०१९

प्रति,

मे.धारवाणी कन्स्ट्रक्शन प्रा.लि. डायरेक्टर श्री.सुनिल एच.धारवाणी  
द्वारा - मे. विटान कन्सल्टंट तर्फे श्री, अनिल आर. निरगुडे, वास्तुशिल्पकार, कल्याण .

विषय : मोजे : चिखलोली ता. अंबरनाथ येथील स.नं. १३४/१ अ, बी, सी, डी (ई), १३४/२, १३५/३अ, १३८/१ पै.,  
१३८/२ या भूखंडावरील सुधारित बांधकाम परवानगी मिळण्याबाबत.  
संदर्भ : आपला दि.०४/०२/२०१९ चा अर्ज क्र.२९३६

मे. विटान कन्सल्टंट तर्फे श्री, अनिल आर. निरगुडे, वास्तुशिल्पकार, कल्याण . यांचे मार्फत सादर केलेला अर्ज. महाराष्ट्र प्रादेशिक व नगर रचना अधिनियम १९६६ चे कलम ४५ अन्वये मोजे : चिखलोली ता. अंबरनाथ येथील स.नं. १३४/१ अ, बी, सी, डी (ई), १३४/२, १३५/३अ, १३८/१ पै., १३८/२ क्षेत्र ३७९७७.०० चौ.मी. या भूखंडाच्या विकास करवायसास महाराष्ट्र नगरपरिषद अधिनियम १९६५ चे कलम १८९ अन्वये व महाराष्ट्र प्रादेशिक व नगररचना अधिनियम १९६६ चे कलम ४४ अन्वये सुधारित बांधकाम परवानगी करिता अर्ज सादर केलेला आहे. त्याप्रमाणे सुधारित बांधकाम करण्यासाठी केलेल्या दि. ०४/०२/२०१९ च्या अर्जास अनुसरून पुढील शर्तीस अधिन राहून तुमच्या मालकीच्या जागेत हिरव्या रंगाने दुरुस्ती दाखविल्याप्रमाणे विंग सी -स्टिक्ट + १८ मजले, विंग सी-१- स्टिक्ट + १२ मजले, बिल्डींग विंग एम - स्टिक्ट + १९ मजले, बिल्डींग विंग एन -स्टिक्ट + १९ मजले, बिल्डींग विंग एल- स्टिक्ट + २० मजले, बिल्डींग विंग ओ- स्टिक्ट + ३ मजले, विंग पी - स्टिक्ट + २ मजले राहणेसाठी आणि क्लब हाऊस तळमजला + पहिला मजला, वाडे भिंतीच्या इमारतीच्या बांधकामाबाबत, महाराष्ट्र प्रादेशिक व नगररचना अधिनियम १९६६ चे कलम ४५ अन्वये सुधारित बांधकाम परवाना/प्रारंभ प्रमाण पत्र देण्यात येत आहे.

-: अटी :-

- ही बांधकाम परवानगी दिलेल्या तारखेपासून एक वर्ष पर्यंत वैध असेल, नंतर पुढील वर्षासाठी परवानगीचे नूतनीकरण मुदत संपणे आधी करणे आवश्यक राहिल. अशाप्रकारचे नूतनीकरण फक्त तीन वर्षे करता येईल. परंतु जर एका वर्षाच्या आत बांधकाम सुरु केले असेल व स्टिक्ट / जोत्या पर्यंतचे बांधकाम पूर्ण करून तशी सुचना नगरपरिषदेस दिली असेल तर विकास नियंत्रण नियमावलीतील नियम क्र.६-७ नुसार बांधकाम परवानगी मुदत वाढ घेण्याची आवश्यकता नाही. नूतनीकरण करताना किंवा नवीन परवानगी घेताना त्यावेळी अस्तित्वात आलेल्या नियमाचा व नियोजित विकास आराखड्याच्या अनुशंगाने छाननी करण्यात येईल.
- नकाशात----- रंगाने केलेल्या दुरुस्त्या आपल्यावर बंधनकारक राहतील.
- महाराष्ट्र शासन राजपत्र, महसूल व धन विभाग दिनांक ५ जानेवारी, २०१७ रोजीच्या राजपत्रातील नियम व तरतुदी आवेदकास / विकासकास बंधनकारक राहतील.
- बांधकाम चालू करण्यापूर्वी (७) दिवस आधी नगरपरिषद कार्यालयास लेखी कळविण्यात यावे.
- ही परवानगी आपल्या मालकीच्या कबजातील जमिनी व्यतिरिक्त जमिनीवर बांधकाम अगर विकास करण्यास हक्क देत नाही.
- बांधकाम सौबतच्या मंजूर केलेल्या नकाशाप्रमाणे आणि चालून दिलेल्या अटी प्रमाणे करता येईल. जोत्यापर्यंत बांधकाम झाल्यानंतर वास्तुशिल्पकाराचे, मंजूर नकाशाप्रमाणे बांधकाम केल्या बाबतचे प्रमाणपत्र नगरपरिषदेस सादर करण्यात यावे त्यानंतरच जोत्यावरील बांधकाम करावे.
- भूखंडाचे हद्दीत भोवती भोकळा सोडावयाच्या जागेत बव्हल करू नये व त्यामध्ये कोणत्याही प्रकारचे बांधकाम करू नये.
- बांधकामात कोणत्याही प्रकारचा फेरफार पूर्व परवानगी घेतल्याशिवाय करू नये. तसे केल्याचे आढळून आल्यास सादरची बांधकाम परवानगी रद्द झाली असे समजण्यात येईल.
- इमारतीच्या बांधकामाच्या सुपक्षिततेची हमी (स्ट्रक्चरल सेफ्टी) जबाबदारी सर्वस्वी आपल्या वास्तुशिल्पकार व स्थापत्य विशारद यांचेवर राहिल.
- बांधकाम पूर्णतेचा दाखला / चापर परवानगी घेतल्याशिवाय इमारतीचा चापर करू नये त्यासाठी जागेवर ज्याप्रमाणे बांधकाम पूर्ण झाले आहे त्याचा नकाशा वास्तुशिल्पकार व स्थापत्य विशारद यांच्या विहीत नमुन्यातील दाखल्यासह (५ प्रतीत) इतर आवश्यक कागद प्रवास सह सादर करण्यात यावा.

११. बांधकाम चालू करण्यापूर्वी नगर भूमापन अधिकारी / भूमी अभिलेख खात्याकडून जागेची आखणी करून घेण्यात यावी आणि तसा दाखला नगरपरिषदेकडे सादर केल्यानंतर बांधकाम सुरु करावे.
१२. नकाशात दाखविलेल्या गाळ्यांच्या संख्येमध्ये व नियोजनामध्ये पूर्वपरवानगीशिवाय बदल करू नये.
१३. नवीन इमारतीस मंजूर नकाशे प्रमाणे सेप्टिक टँक पाहिजे व संडास भविष्य काळात जवळच्या मलनिस्सरण नलिकेस स्वयंचर्चाने नगरपरिषद अभियंता यांचे परवानगीने जोडणे आवश्यक राहिल. सेप्टिक टँक कमीत कमी ५० फूट अंतरावर असणे आवश्यक आहे.
१४. सांडपाण्याचे व पागोळ्याचे पाणी नगरपरिषदेच्या गटारीस स्वयंचर्चाने नगरपरिषद अभियंता यांचे प्रसंतीप्रमाणे सोडावे लागेल सांडपाण्याच्या बाबतीत मलनिस्सरण विभागाचे प्रमाणपत्र असल्याशिवाय वापर परवाना देण्यात येणार नाही.
१५. बांधकामाच्या वेळी निरुपयोगी माल (मटेरीयल) नगरपरिषद सांगेल त्या ठिकाणी स्वयंचर्चाने वाहून टाकला पाहिजे.
१६. बांधकामाच्या सभोवताली सोडलेल्या खुल्या जागेत कमीत कमी १) अशाक २) गुलमोहर ३) निलगिरी ४) करंज इ.पैकी एकूण दहा झाडे लावून त्यांची जोपासना केली पाहिजे तसेच सध्या अस्तित्वात असलेली झाडे तोडण्यापूर्वी परवानगी घेणे बंधनकारक आहे.
१७. नकाशात दाखविल्याप्रमाणे बांधकामाचा फवत रहिवास वापरासाठी उपयोग करावा.
१८. नागरी जमीन कमाल मर्यादा अधिनियम १९७६ मधील तरतुदी प्रमाणे जागा बाधीत होत असल्यास त्याची सर्वस्वी जबाबदारी आपलेवर राहिल.
१९. जागेतून किंवा जागे जवळून अतिदाव विद्युत्वाहिनी जात असल्यास बांधकाम करण्यापूर्वी संबंधित खात्याकडून ना हरकत दाखला घेतला पाहिजे.
२०. जागा महामार्ग किंवा रेल्वे मार्गास सन्मुख लागून किंवा जवळ असल्यास संबंधित खात्याकडून बांधकाम करण्यापूर्वी ना हरकत दाखला घेतला पाहिजे.
२१. बांधकामाकडे किंवा इमारतीकडे जाण्या येण्याच्या मार्गाची जबाबदारी संपूर्णपणे आपलेकडे राहिल बांधकाम परवानगी नियोजित रस्त्याप्रमाणे दिली असल्यास त्या रस्त्याचे काम नगरपरिषदेच्या सोयीप्रमाणे व प्राधान्यतेप्रमाणे केले जाईल तसा रस्ता होई पावते तो इमारतीकडे जाण्या येण्याच्या मार्गाची जबाबदारी संपूर्णपणे आपलेकडे राहिल.
२२. जागेत जून भाडेकरू असल्यास त्याच्या बाबत योग्य ती व्यवस्था करावयाची जबाबदारी मालकाची राहिल व मालक भाडेकरू यामध्ये काही वाद असल्यास किंवा निर्माण झाल्यास त्याचे निवारण मालकाने करणे आवश्यक राहिल व त्याबाबतीत नगरपरिषद जबाबदार राहणार नाही.
२३. सदर जागेतून पाण्याचा नैसर्गिक निचरा होत असल्यास तो इकडील परवानगी शिवाय घडवू अथवा बंद करू नये.
२४. सदर प्रकरणी चूकीची अपुर्ण माहिती दिली असल्यास सदर बांधकाम परवानगी रद्द करणेत येईल.
२५. सदर जागेत विहीर असल्यास इकडील परवानगी शिवाय बुजवू नये.
२६. बांधकाम पूर्ण झाल्यावर पिण्याच्या पाण्याचे कनेक्शन मिळण्याकरिता नगरपरिषदेवर जबाबदारी राहणार नाही किंवा पिण्याच्या पाण्यासाठी नगरपरिषद हमी घेणार नाही.
२७. यापूर्वी ज.क्र.अनप/नरवि/बाप/ १८-१८/१२२७/८८०१/८५ दि.०८/१२/२०१७ अन्वये सुधारीत बांधकाम परवानगी देण्यात आलेली आहे. तसेच विंग अ, बी, डी, इ, एफ, जी, एच, आय, जे या इमारतींना भागशा: भोगवटा प्रमाणपत्र जा.क्र.अनप/नरवि/१८-१९/६३२ दि.२३/०८/२०१८ अन्वये देण्यात आलेले आहे.
२८. गटाराचे व पावसाच्या पाण्याचा निचरा होणेकरिता नगरपरिषदेच्या गटारास जोडणेसाठी पक्क्या स्वरूपाची गटारे बांधित.
२९. बांधकामासाठी व पिण्याच्या पाण्यासाठी नळाचे कनेक्शन मिळणार नाही. त्यासाठी बोअरवेलचे काम करावे लागेल.
३०. भूखंडासमोरील रस्ता पक्क्या स्वरूपात गटारासह तयार केल्याखेरीज वापर परवाना मिळणार नाही.
३१. मंजूर नकाशानुसार बांधकाम न करणे तसेच विकास नियंत्रक नियमावलीनुसार आवश्यक त्या परवानग्या न घेता बांधकाम/ वापर करणे महाराष्ट्र प्रादेशिक व नगररचना अधिनियमाचे कलम ५२ अनुसार दखलपत्र गुन्हा आहे. त्यासाठी जास्तीत जास्त ३ वर्षे कैद व रु.५०००/- दंड होऊ शकतो.
३२. इमारतीच्या मोकळ्या आकारात कचरा कुंडीची व्यवस्था करावी.
३३. मंजूर नकाशाबाबत जागेवर प्रारंभ प्रमाण पत्राचा क्रमांक / दिनांक आणि इतर माहिती लिहून फलक लावावा.
३४. कुलमुखत्यार पत्र धारक / भाडेकरू / गालेधारक/ मुळ मालक यांच्यात काही वाद निर्माण झाल्यास त्याची सर्वस्वी जबाबदारी वास्तुशिल्पकार / विकासकर्ता यांचेवर राहिल.
३५. विषयाधिन जागेवरील बांधकाम करताना आय एस १३१२०-१९९३ भुंकंपरोधक आर सी सी डीझाईननुसार घटकांचे नियोजन आहर्ताप्राप्त नॉदणीकृत स्ट्रक्चरल इंजिनियर यांचेकडून करून घेणे आवश्यक असून त्यांचे देखरेखीखाली नियोजित इमारतीचे बांधकाम पूर्ण करणे अर्जदार / विकासकर्ता यांचेवर बंधनकारक राहिल.
३६. महाराष्ट्र प्रादेशिक नगररचना अधिनियम १९६६ चे कलम १५१ (३) नुसार मुंबई महानगर प्रदेश विकासा प्राधिकरणाने प्रदान केलेल्या विकास नियंत्रण व जमिन वापर या बाबतचे अधिकारांस आधीन राहून ही परवानगी देण्यात येत आहे.
३७. जर भूखंडाचे क्षेत्रफळत व हद्दीमध्ये फरक आढळल्यास सुधारीत परवानगी घेणे बंधनकारक राहिल.

३८. जागेच्या मालकी हक्काबाबत / वहीयाटीबाबत बाद निर्माण झाल्यास त्याची सर्वस्वी जबाबदारी विकासकर्ता / कु.मु.प.धारक / जमिन मालक यांची राहिल.
३९. इमारतीसाठी बसविली जाणारी लिफ्ट हि ISI मार्क असलेली दर्जेदार व नामांकित कंपनीची असावी तसेच तीची वेळोवेळी सुरक्षीततेचे दृष्टीने तपासणी करण्यात यावी.
४०. नैसर्गिक पावसाळी पाण्याचा वापर करणेसाठी रुफटॉपर हार्वेस्टिंग पध्दतीची यंत्रणा उभारण्यात यावी. तसेच रुफ टॉपचे पावसाळी पाणी जमिनीमध्ये जिरेल अशा पध्दतीने खड्डा घेवून पाईप व्यवस्था करणेत यावी. जेणेकरून पावसाचे पाणी वाहून वाया जाणार नाही व ते जमिनीमध्ये मुरेल.
४१. सदर इमारत बांधकामामुळे काही दृक्ष बाधित होत असल्यास दृक्ष अधिकारी यांचा विहित पध्दतीने परवाना प्राप्त करून त्यांचे आदेशाप्रमाणेच दृक्षतोडीनंतर इमारत बांधकाम हाती घेणेची कार्यवाही करावी.
४२. प्रत्येक मजला व प्रत्येक दिग मध्ये फायर एक्स्टिंग्विशर बसवावे.
४३. इमारतीच्या टॉयलेटमध्ये लो वॉल्यूम फ्लश सिस्टमचा वापर करण्यात यावा.
४४. अग्निशमन अधिका-यांचा ना हरकत दाखला घेणे आपणांवर बंधनकारक राहिल.
४५. संबंधित अग्निशमन विभागाकडून सदर प्रस्तावाबाबत अभिप्राय घेणे आवश्यक राहिल, तसेच प्रस्तावामध्ये बदल सुचविल्यास नकाशा मध्ये अंतर्भूत करणे बंधनकारक राहिल. त्यानंतरच बांधकाम सुरु करण्यात यावे.
४६. सदनिका विकताना महा.रेरा कायधनुसार कार्पेट क्षेत्रावर विक्री करण्यात यावी.
४७. वापर परवाना घेतल्याशिवाय तेथे रहिवास वापर केल्यास संपूर्ण इमारत अनधिकृत ठरवून प्रापर्टी टॅक्सवर दुप्पट दंड आकारण्यात येईल.
४८. शासन निर्णयानुसार इमारत व इतर बांधकाम कामगार कल्याणकारी उपकर अधिनियम १९९६ अंतर्गत इमारत बांधकामाच्या मुल्यावर उपकर १% नगरपरिषदेमार्फत शासनास ३० दिवसांच्या आत भरणे आपणांस बंधनकारक राहिल. अन्यथा दिलेली परवानगी रद्द समजण्यात येईल.
४९. आपण विकसीत करीत असलेल्या प्रकल्पामध्ये शासनाच्या स्वच्छ भारत अभियान २०१८ अंतर्गत ओला आणि सुखा कचरा वर्गीकरण करण्याची कायम स्वरुपी व्यवस्था करावी. व रेखानकाशामध्ये जागा निश्चित करून ठळकपणे दर्शवावे. तसेच ओल्या कच-यावर प्रक्रीया करण्यासाठी शासन धोरणानुसार आवश्यक ती उपाययोजना करण्यात यावी.
५०. घनकचरा व्यवस्थापन ओला कच-याची विल्हेवाट आपल्या प्रकल्पाचे आवारात करणे बंधनकारक आहे.
५१. स्वच्छ सर्वेक्षण २०१८ अंतर्गत बांधकामाच्या ठिकाणी बांधकाम कामगारांसाठी शौचालयाची सुविधा उपलब्ध करा देण्यात यावी व तसे गरपरिषदेस शौचालयाच्या फोटोसह कळविण्यात यावे.
५२. सदर प्रकल्पामध्ये यांत्रिक पार्किंगची तरतुद केलेली आहे. त्यांचे संकल्पचित्र दर्शविणारा नकाशा तांत्रिक सल्लागार यांचे कडून तयार करून, भोगवटा प्रमाणपत्र घेण्यापूर्वी सादर करणेत यावा.

सहाय्यक नगररचनाकार,  
अंबरनाथ नगरपरिषद,  
अंबरनाथ.



सुख्याधिकारी तथा नियोजन प्राधिकारी,  
अंबरनाथ नगरपरिषद,  
अंबरनाथ.

प्रत अग्रेषित :

मा.तहसिलदार, अंबरनाथ यांना महाराष्ट्र शासन राजपत्र, महसूल व धन विभाग दिनांक ५ जानेवारी, २०१७ नुसार कार्यवाही करीता.



FIRE NOC

## नगरपरिषद अंबरनाथ

ता. अंबरनाथ, जि. ठाणे पिनकोड ४२१५०१

दुरध्वनी क्र. ०२५१- २६८२३५३ अग्निशमन ०२५१- २६८२४००/१०१

जावक क्र. अंनप/अग्नि/२०१८-१९/१०१

दिनांक : २८/०६/२०१८

प्रति,

श्री. भाविन रमेशचंद पटेल व इतर सात यांचे कु.मु.प.धा.

मे. थारवाणी सुपर स्ट्रक्चर प्रा. लि. तर्फे,

श्री. सुनिल हरदास थारवाणी, श्री. सचिन जनार्दन भोपी,

द्वारा- श्री. सुनिल आर. निरगुडे.

विषय:- अग्निशमन विभागाचा अंतिम ना-हरकत दाखला. (विंग A,B,D,E,F,G,H,I\*)

संदर्भ:- १) वास्तुशिल्पकार वितान कंसलटन्स यांचा दि. २३/०५/२०१८ चा अर्ज.

२) अंनप/अग्नि/२०१५-१६/०४ दि. १७/०४/२०१५ अन्वये.

३) मे. थारवाणी कंसलटन्स यांचा दि. २०/०५/२०१८ चा अर्ज.

४) मे. अजिंक्य फायर सिस्टीम यांचे दि. २३/०४/२०१८ चे प्रमाणपत्र.

५) अग्निशमन विभागाने दि. १५/०६/२०१८ केलेली तपासणी व चाचणी.

महोदय,


अंबरनाथ नगरपरिषद, अंबरनाथ हद्दीतील मौजे चिखलोल्ली ता. अंबरनाथ स.नं. १३५/३ अ, (पार्ट), १३८/२ या भुखंडावर रहिवासी स्टील्ट+सात मजल्याच्या एकूण ८ इमारती बांधण्यात आल्या आहेत. सदर इमारतीत अग्निशमन विभागाने यापुर्वी संदर्भ क्र. २ नुसार दिलेल्या तात्पुरत्या दाखल्यातील अग्निशमन यंत्रणा व उपकरणे बसविली असल्याचे अर्जदाराने कळविले आहे. करिता सदर अग्निशमन यंत्रणेची तपासणी व चाचणी दि. १५/०६/२०१८ रोजी विभागाने घेतली असता तात्पुरत्या दाखल्यात सुचविण्यात आलेली आग प्रतिबंधक यंत्रणा संपुर्ण इमारतीत बसविण्यात आली असल्याचे व सदर यंत्रणा तपासणीच्या दिवशी सुस्थितीत व कार्यन्वित असल्याचे निदर्शनास आले. इमारतीत अग्निशमन यंत्रणा चालू स्थितीत असल्याची खात्री पटले वरून पुढील शर्ती व अटींचे अधिन राहून वरील इमारतीस अग्निशमन विभागाचा यंत्रणा कार्यन्वित असण्याचा अंतिम दाखला देणेत येत आहे.

१. इमारतीमधील अग्निशमन यंत्रणेची माहिती आपातप्रसंगी वापर, देखभाल याबाबत इमारतीमधील रहिवाशांना आवश्यक ते प्रशिक्षण यंत्रणा बसविण्याच्या संस्थेमार्फत देण्यात यावे.
२. वरील इमारतीमधील अग्निशमन यंत्रणा चालू व सुस्थितीत असल्याची खात्री करून इमारतीमधील रहिवाशी / जबाबदार व्यक्ती / सोसायटी यांचे ताब्यात लेखी स्वरूपात देण्याची जबाबदारी विकासक यांची असेल. यंत्रणा रहिवाशांचे ताब्यात दिल्यावर बसविलेल्या साहित्याचे यादीसह रहिवाशांचे स्वाक्षरीनिशी अग्निशमन दलास लेखी कळवावे.
३. इमारतीमधील यंत्रणा ताब्यात घेतल्यावर ती पुढे योग्य व चालू स्थितीत ठेवण्याची जबाबदारी सोसायटीची राहिल.
४. गच्चीवरील Fire Tank मध्ये सदैव पाणी उपलब्ध राहिल ही खबरदारी घ्यावी व भविष्यात Fire Tank मधून आवश्यकतेनुसार कोणत्याही प्रकारचे पाणी वापराचे कनेक्शन करू नये.
५. महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना २००६ अधिनियमातील कलम ३(३) नुसार मालक, भोगवटादार, विकासक सोसायटी यांनी लायसंस अभिकरणामार्फत इमारतीमध्ये असलेली अग्निशमन यंत्रणा वर्षातून दोनदा म्हणजेच प्रत्येक जानेवारी व जुलै महिन्यात कार्यान्वित असल्याबाबतचे प्रमाणपत्र अग्निशमन विभागास सादर करणे बंधनकारक आहे.
६. अंबरनाथ नगरपरिषदेने नेमलेले लायसंस अभिकरणाची माहिती अग्निशमन विभागात व अग्निशमन संचालनालयाने नेमलेल्या अभिकरणांची यादी [www.maharashtrafireservice.org](http://www.maharashtrafireservice.org) या संकेतस्थळावर उपलब्ध आहे.
७. इमारतीमधील यंत्रणा तपासणी अधिकार अग्निशमन विभागाने राखून ठेवला असून अचानक तपासणीत इमारतीमधील अग्निशमन यंत्रणा, बंद अपर्याप्त, नादुरुस्त आढळल्यास अग्निशमन कायद्यातील कलम ६,७,८ नुसार योग्य ती कारवाई करणेत येईल.
८. विकासक/ सोसायटीने वर्षातून किमान दोन वेळा Fire Drill करून दफ्तरी नोंद ठेवावी, तसेच आपापल्या इमारतीचा Disaster Management Plan बनवून एक प्रत अग्निशमन विभागात सादर करावी. तसेच लिफ्टची चावी जबाबदार व्यक्ती, सोसायटी यांच्याकडे असणे आवश्यक आहे.
९. सदरचा अंतिम दाखला हा फक्त अग्निशमन विषयक व इमारतीमधील अग्निशमन यंत्रणा तपासणी दिवशी कार्यान्वित व सुस्थितीत असल्याची खात्री व निदर्शनास आल्यानुसार देण्यात आलेला आहे.
१०. वरील दाखल्यानुसार विकासक यांनी सदरची प्रत सोसायटी/ जबाबदार व्यक्ती यांकडे सविस्तर देऊन वरीलप्रमाणे यापुढे कार्यवाही करणेबाबत अवगत करावे.




अग्निशमन अधिकारी  
अंबरनाथ नगरपरिषद, अंबरनाथ

३८. जागेच्या मालकी हक्काबाबत / वहीवाटीबाबत बाद निर्माण झाल्यास त्याची सर्वस्वी जबाबदारी विकासकर्ता / कु.मु.प.धारक / जमिन मालक यांची राहिल.
३९. इमारतीसाठी बसविली जाणारी लिफ्ट हिे ISI मार्क असलेली दर्जेदार व नामांकित कंपनीची असावी तसेच तीची वेळोवेळी सुरक्षीततेचे वृद्धीने तपासणी करण्यात यावी.
४०. नैसर्गिक पावसाळी पाण्याचा वापर करणेसाठी रुफवॉटर हार्वेस्टिंग पध्दतीची यंत्रणा उभारण्यात यावी. तसेच रुफ टॉपचे पावसाळी पाणी जमिनीमध्ये जिरेल अशा पध्दतीने खड्डा घेवून पाईप व्यवस्था करणेत यावी. जेणेकरून पावसाचे पाणी वाहून याया जाणार नाही व ते जमिनीमध्ये मुरेल.
४१. सदर इमारत बांधकामामुळे काही युद्ध बाधीत होत असल्यास युद्ध अधिकारी यांचा विहीत पध्दतीने परवाना प्राप्त करून त्यांचे आदेशाप्रमाणेच युद्धतोडीनंतर इमारत बांधकाम हाती घेणेची कार्यवाही करावी.
४२. प्रत्येक मजला व प्रत्येक विंग मध्ये फायर एक्स्टिंग्विशर बसवावे.
४३. इमारतीच्या टॉयलेटमध्ये लो वॉल्यूम फ्लश सिस्टमचा वापर करण्यात यावा.
४४. अग्निशमन अधिका-यांचा ना हरकत दाखला घेणे आपणांवर बंधनकारक राहिल.
४५. संबंधित अग्निशमन विभागाकडून सदर प्रस्तावाबाबत अभिप्राय घेणे आवश्यक राहिल, तसेच प्रस्तावामध्ये बदल सुचविल्यास नकाशा मध्ये अंतर्भूत करणे बंधनकारक राहिल. त्यानंतरच बांधकाम सुरु करण्यात यावे.
४६. सदनिका विकतांना महा.रेरा कायधनुसार कार्पेट क्षेत्रावर विक्री करण्यात यावी.
४७. वापर परवाना घेतल्याशिवाय तेथे रहिवास वापर केल्यास संपूर्ण इमारत अनधिकृत ठरवून प्रापटी टॅक्सवर दुप्पट दंड आकारण्यात येईल.
४८. शासन निर्णयानुसार इमारत व इतर बांधकाम कामगार कल्याणकारी उपकर अधिनियम १९९६ अंतर्गत इमारत बांधकामाच्या मुल्यावर उपकर १% नगरपरिषदेमार्फत शासनास ३० दिवसांच्या आत भरणे आपणांस बंधनकारक राहिल. अन्यथा दिलेली परवानगी रद्द समजण्यात येईल.
४९. आपण विकसीत करीत असलेल्या प्रकल्पामध्ये शासनाच्या स्वच्छ भारत अभियान २०१८ अंतर्गत ओला आणि सुखा कचरा वर्गीकरण करण्याची कायम स्वरुपी व्यवस्था करावी. व रेखानकाशामध्ये जागा निश्चित करून ठळकपणे दर्शावावे. तसेच ओल्या कच-यावर प्रक्रीया करण्यासाठी शासन धोरणानुसार आवश्यक ती उपाययोजना करण्यात यावी.
५०. घनकचरा व्यवस्थापन ओला कच-याची विल्हेवाट आपल्या प्रकल्पाचे आवारात करणे बंधनकारक आहे.
५१. स्वच्छ सर्वेक्षण २०१८ अंतर्गत बांधकामाच्या ठिकाणी बांधकाम कामगारांसाठी शौचालयाची सुविधा उपलब्ध करा देण्यात यावी व तसे गारपरिषदेस शौचालयाच्या फोटोसह कळविण्यात यावे.
५२. सदर प्रकल्पामध्ये यांत्रिक पार्किंगची तरतुद केलेली आहे. त्यांचे संकल्पचित्र दर्शविणारा नकाशा तांत्रिक सल्लागार यांचे कडून तयार करून, भोगवटा प्रमाणपत्र घेण्यापूर्वी सादर करणेत यावा.

  
 सहाय्यक नगररचनाकार,  
 अंबरनाथ नगरपरिषद,  
 अंबरनाथ.



  
 मुख्याधिकारी तथा नियोजन प्राधिकारी,  
 अंबरनाथ नगरपरिषद,  
 अंबरनाथ.

प्रत अप्रोषित :

मा.तहसिलदार, अंबरनाथ यांना महाराष्ट्र शासन राजपत्र, महसूल व वन विभाग दिनांक ५ जानेवारी, २०१७ नुसार कार्यवाही करिता.



१. इमारतीमधील अग्निशमन यंत्रणेची माहिती आपातप्रसंगी वापर, देखभाल याबाबत इमारतीमधील रहिवाशांना आवश्यक ते प्रशिक्षण यंत्रणा बसविण्याच्या संस्थेमार्फत देण्यात यावे.
२. वरील इमारतीमधील अग्निशमन यंत्रणा चालु व सुस्थितीत असल्याची खात्री करुन इमारतीमधील रहिवाशी / जबाबदार व्यक्ती / सोसायटी यांचे ताब्यात लेखी स्वरुपात देण्याची जबाबदारी विकासक यांची असेल. यंत्रणा रहिवाशांचे ताब्यात दिल्यावर बसविलेल्या साहित्याचे यादीसह रहिवाशांचे स्वाक्षरीनिशी अग्निशमन दलास लेखी कळवावे.
३. इमारतीमधील यंत्रणा ताब्यात घेतल्यावर ती पुढे योग्य व चालु स्थितीत ठेवण्याची जबाबदारी सोसायटीची राहिल.
४. गच्चीवरील Fire Tank मध्ये सदैव पाणी उपलब्ध राहिल ही खबरदारी घ्यावी व भविष्यात Fire Tank मधुन आवश्यकतेनुसार कोणत्याही प्रकारचे पाणी वापराचे कनेक्शन करू नये.
५. महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना २००६ अधिनियमातील कलम ३(३) नुसार मालक, भोगवटादार, विकासक सोसायटी यांनी लायसन्स अभिकरणामार्फत इमारतीमध्ये असलेली अग्निशमन यंत्रणा वर्षातुन दोनदा म्हणजेच प्रत्येक जानेवारी व जुलै महिन्यात कार्यान्वित असल्याबाबतचे प्रमाणपत्र अग्निशमन विभागास सादर करणे बंधनकारक आहे.
६. अंबरनाथ नगरपरिषदेने नेमलेले लायन्सस अभिकरणाची माहिती अग्निशमन विभागात व अग्निशमन संचालनालयाने नेमलेल्या अभिकरणांची यादी [www.maharashtrafireservice.org](http://www.maharashtrafireservice.org) या संकेतस्थळावर उपलब्ध आहे.
७. इमारतीमधील यंत्रणा तपासणी अधिकार अग्निशमन विभागाने राखुन ठेवला असुन अचानक तपासणीत इमारतीमधील अग्निशमन यंत्रणा, बंद अपर्याप्त, नादुरुस्त आढळल्यास अग्निशमन कायद्यातील कलम ६,७,८ नुसार योग्य ती कारवाई करणेत येईल.
८. विकासक/ सोसायटीने वर्षातुन किमान दोन वेळा Fire Drill करुन दफ्तरी नोंद ठेवावी, तसेच आपापल्या इमारतीचा Disaster Management Plan बनवुन एक प्रत अग्निशमन विभागात सादर करावी. तसेच लिफ्टची चावी जबाबदार व्यक्ती, सोसायटी यांच्याकडे असणे आवश्यक आहे.
९. सदरचा अंतिम दाखला हा फक्त अग्निशमन विषयक व इमारतीमधील अग्निशमन यंत्रणा तपासणी दिवशी कार्यान्वित व सुस्थितीत असल्याची खात्री व निदर्शनास आल्यानुसार देण्यात आलेला आहे.
१०. वरील दाखल्यानुसार विकासक यांनी सदरची प्रत सोसायटी/ जबाबदार व्यक्ती यांकडे सविस्तर देऊन वरीलप्रमाणे यापुढे कार्यवाही करणेबाबत अवगत करावे.



Page 2 of 2

अग्निशमन अधिकारी  
अंबरनाथ नगरपरिषद, अंबरनाथ

No. MFS/51/2022/ 109  
Tel No. 2667 7555  
Fax No.2667 7666

GOVERNMENT OF MAHARASHTRA

Directorate of Maharashtra Fire Service  
Maharashtra Fire Service Academy  
Vidyanagri, Hans Bhugra Marg,  
Santacruz (East), Mumbai – 400 098  
Date: 31/01/2022

To,  
M/s. Tharwani Constructions Pvt Ltd.,  
Survey No. 134/1A, 1B, 1C, 1D, 134/2, 135/3, 138/1D, 138/2  
Village Chikloli, Tal-Ambarnath  
Dist-Thane

**Sub:** Scrutiny Report of proposed Residential Building in the name of M/s. Tharwani Constructions Pvt Ltd., Survey No. 134/1A, 1B, 1C, 1D, 134/2, 135/3, 138/1D, 138/2, Village Chikloli, Tal-Ambarnath, Dist-Thane

**Ref :** Application No. MFS 77.22, Dated 31.01.2022

Dear Sir,

With reference to above, this office is in receipt of your proposal for Residential Building.

After scrutiny of the drawing following are our observations and remarks

1. **Staircase:** One of the staircase in all building is not enclosed. Also the width of the staircase is shown as 1.20 mtrs to 1.35 Mtrs instead of 1.50 Mtrs.
2. **Fire Tower:** As the Residential Building is above 24 mtrs and thus as per National Building Code of India-Part IV, Annex E, one of the staircase shall be "Fire Tower". Thus, you are hereby instructed to provide one.
3. **Refuge Area:** Except for Bldg O, R & K, Refuge area is shown improperly or shown in the midlanding of the staircase which is not permissible. Proper refuge area to be provided. In A-1 Bldg, no entry is shown for Refuge area.
4. **Height :** For some building, the height shown is beyond the permissible limit as per UDCPR. The permissible maximum height as per the building shown is 53.20 Mtrs.
5. **Bldg O & Bldg P:** basement floor plan is given for both the building but section plan or the area statement does not show the basement.
6. **Club House :** Improper staircase is shown as well as additional staircase is required for mini theatre.


The Maharashtra Fire Prevention & Life Safety Measure Act-2006 & Maharashtra Fire Prevention & Life Safety Measure Rules-2009, the National Building Code of India-2016 is made mandatory. The above mentioned clause are mandatory in nature therefore you are hereby informed to make necessary correction / amendments in your drawings and resubmit for necessary approval.

You are hereby informed to make necessary correction / amendments in your drawings and resubmit for necessary approval.

This is for your information and further necessary action, please.

Thanking you.

Yours faithfully,

  
K R Hatyal

Asst. Director  
Maharashtra Fire Services.



अंबरनाथ नगरपरिषद, अंबरनाथ.  
पाणी पुरवठा व जलनिःस्सारण विभाग

जा.क्र. अंनप/पापुवजनि/ २०१८-१९/२६६

दिनांक १८/८/२०१८

प्रति,

म.अंरवाणी कन्स्ट्रक्शन प्रा.लि.डायरेक्टर

श्री. सुनिल एच.थारवाणी

स.नं. १३५/३अ,१३८/१पै.,१३८/२,१३४/१ A,B,C,D (p), १३४/२

मौजे चिखलोली ता. अंबरनाथ

विषय :- भुयारी गटार जोडणी परवानगी मिळणेबाबत.  
संदर्भ :- आपला दिनांक १८/८/२०१८ रोजीचा अर्ज

सदर मिळकतीची पाहणी केल्यानुसार गृहसंकुलात एकूण ०३फेज आहेत त्यापैकी एक फेज पूर्ण झाला आहे. त्यापैकी ०९ इमारतीची विकासकाने भुयारी गटार जोडणीची परवानगी विकासकाने सद्यस्थितीत ९ इमारतीची विकासकाने परवानगी मागितलेली आहे. सदर इमारती मध्ये एकूण २८० सदानिका आहेत व ४०७ सिट्स आहेत. सदर गृहसंकुलामध्ये विकासकाने संपूर्ण प्रोजेक्टचा विचार करता सेटीक टँक ऐवजी ०.२९० द.ल.लि.क्षमतेचा मलशुध्दीकरण केंद्र बांधण्यात आले आहे. यासाठी त्यांनी डेक्कन इन्डरमेंट कन्सल्टंट प्रा.लि.(पूण ) यांना तांत्रिक सल्लागार म्हणून नियुक्त केलेले आहे. त्यांनी बांधण्यात आलेल्या केंद्राची क्षमता तपासून केंद्राची यांनी पूर्ण क्षमतेने यशस्वी चाचणी घेतल्याचे प्रमाणपत्र नगरपालिकेकडे सादर केलेले आहे. त्याअनुषंगाने पर्यावरण अहवालातील संमंतीमधील ड्रेनेज या घटकाची पाहणी व संमती या पत्राद्वारे देण्यात येत आहे.

१. मलशुध्दीकरण केंद्रातून बाहेर पडणा-या पाण्यासाठी Reculing unit बसविण्यात येऊन त्याचे पाणी fludhing वा Gardening साठी उपयोगात आणण्यात यावे.
२. ज्यावेळी मलशुध्दीकरण केंद्रातील बाहेर पडणारे पाणी अंनप हद्दीतील नाल्यात सोडण्यात येईल त्यावेळी सदरचे पाणी महाराष्ट्र प्रदुषण नियंत्रण मंडळाच्या विहित मानांकनानुसारच प्रक्रिया केल्या जावे त्याबाबत काही वाद उद्भवताच त्याची जबाबदारी संबंधीत को. ऑप. ही.सोसायटीची राहिल.
३. मलशुध्दीकरण केंद्रामुळे परिसरात दुर्गंधी परसरणार नाही याची संपूर्ण दक्षता घेण्याची जबाबदारी विकासकाची व त्याचे नंतर संबंधित सहकारी संस्थेची असेल.
४. भविष्यात या ठिकाणी नगरपरिषदे मार्फत भुयारी गटार योजना राबविण्यात आल्यास सदर मलशुध्दीकरण केंद्रातून प्रक्रिया होऊन बाहेर पडणा-या पाण्याच्या आऊटलेटची जोडणी विकासकाने वा नवीन निर्माण को.ऑप.ही. झालेल्या सोसायटी जवळील मॅनहोल मध्ये (चॅंबर) नगरपरिषदेची परवानगी घेवून स्वयंचालित करून घ्यावी लागेल. जेणेकरून इमारतीच्या आसपासच्या परिसरात दुर्गंधी व अस्वच्छता राहणार नाही.
५. नगररचना विभागातर्फे दिलेल्या बांधकाम इमारतीच्या परवानगी संदर्भात काही कायदेशीर प्रश्न उपस्थित झाल्यास आपणांस देण्यात आलेली सदर भुयारी गटार जोडणी रद्द झाल्याचे समजण्यात येईल. मा.मुख्याधिकारी यांच्या मान्यतेने.



पा.पु.व ज.नि.  
अंबरनाथ नगरपरिषद.

पा.पु.व ज.नि.

अंबरनाथ नगरपरिषद.


प्रत :- १) नगररचना विभाग, अंबरनाथ नगरपरिषद, अंबरनाथ- नगररचना विभागाने पाणी पुरवठा व जलनिःस्सारण विभागाने सुचित केल्यानुसार बांधकाम पूर्ण झाल्याची खात्री करून तसेच इमारती परवानगी वैधता तपासूनच इमारतीचे / संकुलाचे/घर/वि/बांधकाम पूर्णत्वाचा दाखला द्यावा. तसेच पर्यावरण संमंतीमधील ड्रेनेज या घटकाची पाहणी व संमती या पत्राद्वारे देण्यात येत आहे. उर्वरित पर्यावरण संबंधित घटकांची खातरजमा आपण आपल्या स्तरावरून करण्याची विनंती आहे.

२) श्री. रविंद्र देवधर, नळ कारागीर, अं.न.प. आपण विकासकातर्फे सादर केलेल्या कागदपत्रांच्या सरुप्रति सांक्ष्मांकित करून त्याची वैधता तपासूनच नगरपरिषदेकडे अर्जासोबत जमा करावीत अपूर्ण वा असत्य माहिती व खोटी कागदपत्रे सादर केल्याने सदर प्रकरणात काही कायदेशीर प्रश्न उपस्थित झाल्यास आपणांमार्फत विकासकांबरोबर जबाबदार धरण्यात येऊन आपणावर नगरपरिषद नियमानुसार कार्यवाही करून आपला परवाना रद्द करण्यात येईल याची नोंद घ्यावी.


**ANNEXURE NO 10 : WATER BALANCE**

Sr no.	Particulars	Quantity
1.	Total Population (nos.)	7533
2.	Domestic Water (KLD)	676
3.	Flushing Water (KLD)	338
4.	Total Water Demand (KLD)	1014
5.	Total sewage Generation (KLD)	946
6.	Total Recycled Water (KLD)	394
7.	Total Capacity of STP (KLD)	975 (290 & 695)
8.	Total available after Treatment (KLD)	852
9.	The Excess treated water to drain during Non-Monsoon (KLD)	457
10.	The Excess treated water to drain during during Monsoon (KLD)	513

**WATER BALANCE CHART - NON MONSOON SEASON**



**WATER BALANCE CHART- MONSOON SEASON**



**ANNEXURE NO: 11 SOLID WASTE MANAGEMENT DETAILS**


<b>SOLID WASTE MANAGEMENT-CONSTRUCTION PHASE</b>							
<b>WASTE</b>		<b>QTY</b>		<b>MANAGEMENT</b>			
Cement Bags		3652 Nos.		Empty bags to be handed over to recycler			
Scrap metal generated		12 MT		100% to be sold for recycling			
Broken Tiles		2049 sq. m		Waste tiles to be used for skirting. Broken pieces to be used for china mosaic waterproofing terrace.			
Empty paint Cans		2459 Nos.		To be Handed over to recycler.			
Aggregates		14 MT		It will be used as a layer for internal roads and building boundary wall.			
<b>SOLID WASTE MANAGEMENT-OPERATIONAL PHASE</b>							
Sr no.	Building	Occupancy	Criteria (Kg/person/day)		Solid waste generation (kg/dy)		Total (kg/day)
			Bio Degradable	Non- Bio Degradable	Bio Degradable	Non- Bio Degradable	
1.	Residential	7500	0.30	0.20	2250	1500	3750
2.	Shops	33	0.075	0.150	2	5	7
	<b>Total</b>	<b>7533</b>			<b>2252</b>	<b>1505</b>	<b>3757</b>

SR NO.	TYPE OF WASTE	QUANTITY (KG/DAY)	MANAGEMENT
1.	Biodegradable Waste	2252	Biodegradable waste will be processed in OWC and manure so obtained will be used for la
2.	Non-biodegradable Waste	1505	Will be managed through recyclers.
3.	STP sludge	47	Dry sludge shall be used as manure.


**OWC DETAILS**

Sr no.	Description	Quantity
1.	Non Bio-degradable in Kgs	1505
2.	Total solid Waste in Kgs	3757
3.	Quantity of Bio degradable waste in KG	2252
4.	Capacity of Each bin Proposed to be used (lit)	240
5.	Nos. of Bins required (240 lits)	45
6.	Area required for bean storage in sq.mtr	31
7.	Area required for segregation in sq.mtr	31
8.	Machine recommended	OWC300
9.	No. of Machines Proposed	2.0
10.	Capacity per batch in kg per batch	120
11.	No. of batches for each machine in sq.mtr	9
12.	Area of each machine in sq.mtr	3.0
13.	Area of total machine in sq.mtr	6.0
14.	Operator Maneuvering spaces in sq.mtr	6.0
15.	Total(Machine + maneuvering ) in sq.mtr	12
16.	No. of tiers in shelves	3.0
17.	Area required for 20 days storage in sq.mtr	56.8
18.	Compost quantity per day in kg	337.8
19.	Storage space for compost for 6 days stock in sq.mtr	20.3

20.	Process + storage area in sq.mtr	77
21.	Total process +storage area included maneuvering in sq.mtr	97
22.	SWM management area (excluding machine) in sq.mtr	160
23.	SWM management area (Including machine) in sq.mtr	172



**LOCATION OF OWC**




**OWC**

**ANNEXURE NO .12: SANITARY AND HYGIENE MEASURES**

<b>Sr. No.</b>	<b>Particular</b>	<b>Details (During Monitoring)</b>	
<b>1.</b>	<b>No. of Residential Workers</b>	<b>89</b>	
<b>2.</b>	<b>Non Residential Workers</b>	<b>0</b>	
<b>3.</b>	<b>No. of Hutments</b>	<b>0</b>	
<b>4.</b>	<b>Facility provided to workers</b>		
	<b>1</b>	<b>No. of toilets</b>	<b>5</b>
	<b>2</b>	<b>No. of Bathrooms</b>	<b>5</b>
	<b>3</b>	<b>Drinking Water Facility</b>	<b>Yes</b>
	<b>4</b>	<b>No. of Bore well at site</b>	<b>0</b>
	<b>5</b>	<b>Light Provision to Hutments</b>	<b>Yes</b>
	<b>6</b>	<b>First Aid Box provision</b>	<b>Yes</b>
	<b>7</b>	<b>Cooking facility</b>	<b>No, workers prepare their Own food.</b>
	<b>8</b>	<b>Provision of safety gadgets</b>	<b>Yes</b>
<b>9</b>	<b>Barricading of site</b>	<b>Yes</b>	




**ANNEXURE NO .13: DETAILS OF SEWAGE TREATMENT PLANT**



Particulars	STP 1	STP2	Total
STP capacity (KLD)	290	685	975
STP area (sq.m)	167	336	503
Technology	MBBR		
Location	At ground level		

**STP SECTION**






**STP**

**ANNEXURE NO .14: PARKING DETAILS**

Flat Carpet Area In Sq.Mtr	Nos. flats	Required cars	Proposed cars
Below 35	16	-	-
35 to 45	428	107	107
45 to 70	1056	528	528
Above 70	-	-	-
Commercial area per 80 sq.mtr	461.25	06	06
<b>Total</b>	<b>1500</b>	<b>641</b>	<b>641</b>
10 % Visitors parking		64	64
<b>Total</b>		<b>705</b>	<b>705</b>

Floor Level	No. of Parking
Stilt parking	371
Open parking	72
Mechanical parking	262
<b>Total</b>	<b>705</b>



## ANNEXURE NO .15: MONITORING REPORTS



**EHS MATRIX**  
PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

<b>Report No:</b>	<b>EHSM/2023/May/R-1849</b>	<b>Issue Date</b>	<b>23/05/2023</b>		
<b>Name and Address of Customer</b>	<b>Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2 ,138/1D , village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.</b>				
<b>Sample Name</b>	<b>Air</b>	<b>Sample Description</b>	<b>Ambient Air</b>		
<b>Date of Sampling</b>	<b>13/05/2023</b>	<b>Sampling duration</b>	<b>1440 Min</b>		
<b>Start Date of Analysis</b>	<b>14/05/2023</b>	<b>End Date of Analysis</b>	<b>18/05/2023</b>		
<b>Sampling Location</b>	<b>Near Main Gate</b>	<b>Sampling Procedure</b>	<b>CPCB Guideline for measurement of Ambient Air pollutants Volume I</b>		
<b>Dry bulb temperature</b>	<b>30°C</b>	<b>Wet bulb temperature</b>	<b>32°C</b>		
<b>Relative Humidity</b>	<b>68 %</b>	<b>Sampling done by</b>	<b>EHS Matrix Pvt Ltd, Pune</b>		
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods
1	Sulphur Dioxide(SO <sub>2</sub> )	7.2	µg/m <sup>3</sup>	80	IS 5182: Part 2:2001
2	Oxides of Nitrogen(NO <sub>2</sub> )	11.3	µg/m <sup>3</sup>	80	IS 5182: Part 6:1975
3	Particulate Matter PM <sub>10</sub>	65.3	µg/m <sup>3</sup>	100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM <sub>2.5</sub>	32.1	µg/m <sup>3</sup>	60	
5	Carbon Monoxide (CO)	1.9	mg/m <sup>3</sup>	≤ 04	
6	Ozone(O <sub>3</sub> )	24	µg/m <sup>3</sup>	≤ 180	
7	Lead (Pb)	BDL	µg/m <sup>3</sup>	≤ 01	
8	Arsenic(As)	BDL	µg/m <sup>3</sup>	≤ 06	
9	Nickel(Ni)	BDL	µg/m <sup>3</sup>	≤ 20	
10	Ammonia(NH <sub>3</sub> )	BDL	µg/m <sup>3</sup>	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	µg/m <sup>3</sup>	≤ 1.0	
12	Benzene(C <sub>6</sub> H <sub>6</sub> )	BDL	µg/m <sup>3</sup>	≤ 05	
<b>Remark-</b> All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					



*Raj Patil*  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

CERTIFICATIONS :  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX

PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

<b>Report No:</b>	<b>EHSM/2023/May/R-1850</b>	<b>Issue Date</b>	<b>23/05/2023</b>		
<b>Name and Address of Customer</b>	<b>Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2 ,138/1D , village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.</b>				
<b>Sample Name</b>	<b>Air</b>	<b>Sample Description</b>	<b>Ambient Air</b>		
<b>Date of Sampling</b>	<b>13/05/2023</b>	<b>Sampling duration</b>	<b>1440 Min</b>		
<b>Start Date of Analysis</b>	<b>14/05/2023</b>	<b>End Date of Analysis</b>	<b>18/05/2023</b>		
<b>Sampling Location</b>	<b>Near Bldg. G</b>	<b>Sampling Procedure</b>	<b>CPCB Guideline for measurement of Ambient Air pollutants Volume I</b>		
<b>Dry bulb temperature</b>	<b>30°C</b>	<b>Wet bulb temperature</b>	<b>32°C</b>		
<b>Relative Humidity</b>	<b>70 %</b>	<b>Sampling done by</b>	<b>EHS Matrix Pvt Ltd, Pune</b>		
<b>Results</b>					
<b>Sr. No.</b>	<b>Parameters</b>	<b>Results</b>	<b>Unit(s)</b>	<b>Specifications (NAAQ Standards)</b>	<b>Methods</b>
1	Sulphur Dioxide(SO <sub>2</sub> )	6.8	µg/m <sup>3</sup>	80	IS 5182: Part 2:2001
2	Oxides of Nitrogen(NO <sub>2</sub> )	11.3	µg/m <sup>3</sup>	80	IS 5182: Part 6:1975
3	Particulate Matter PM <sub>10</sub>	74.3	µg/m <sup>3</sup>	100	CPCB Guideline for measurement of Ambient Air pollutants Volume I
4	Particulate Matter PM <sub>2.5</sub>	34.5	µg/m <sup>3</sup>	60	
5	Carbon Monoxide (CO)	1.9	mg/m <sup>3</sup>	≤ 04	
6	Ozone(O <sub>3</sub> )	26	µg/m <sup>3</sup>	≤ 180	
7	Lead (Pb)	BDL	µg/m <sup>3</sup>	≤ 01	
8	Arsenic(As)	BDL	ng/m <sup>3</sup>	≤ 06	
9	Nickel(Ni)	BDL	ng/m <sup>3</sup>	≤ 20	
10	Ammonia(NH <sub>3</sub> )	BDL	µg/m <sup>3</sup>	≤ 400	
11	Benzo(a)Pyrene(BaP)	BDL	ng/ m <sup>3</sup>	≤ 1.0	
12	Benzene(C <sub>6</sub> H <sub>6</sub> )	BDL	µg/m <sup>3</sup>	≤ 05	
<b>Remark-</b> All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.					



  
**Authorized Signatory**  
**Mr. Rahul Patil**  
**(Director)**

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

**CERTIFICATIONS :**  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX


PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

Report No:	EHSM/2023/May/R-1851	Issue Date	23/05/2023		
Name and Address of Customer	Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D, village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.				
Sample Name	Source Emission	Sample Description	Stack Material : MS		
Date of Sampling	13/05/2023		Stack Height : 3.5 mtr		
Start Date of Analysis	14/05/2023		Stack Type : Round		
End Date of Analysis	18/05/2023	Sampling Location	DG S # 2(250 KVA)		
Sampling done by	EHS Matrix Pvt Ltd, Pune	Sampling duration	30 Min		
Sample Quantity	Thimble 1 Nos and 30 ml Solution	Sampling Procedure	CPCB Guideline on methodologies for source emission monitoring		
Results					
Sr. No.	Parameters	Results	Unit(s)	Specifications (MPCB Consent)	Methods
1	Flue Gas Temperature	422	K		--
2	Differential Pressure	6.3	mm WG		
3	Velocity	7.4	M/s		
4	Dimensions of Stack	0.200	Mtr.		
5	Stack Area	0.314	M <sup>2</sup>		
6	Gas Volume	486	Nm <sup>3</sup> /Hr		
7	Particulate Matter	43.9	mg/Nm <sup>3</sup>	≤ 150	CPCB Guideline on methodologies for source emission monitoring
8	SulphurDioxide(SO <sub>2</sub> )	36.2	mg/Nm <sup>3</sup>	--	
9	SulphurDioxide(SO <sub>2</sub> )	0.39	Kg/day	≤ 3	
10	Oxide of Nitrogen (NO <sub>x</sub> )	4.4	mg/Nm <sup>3</sup>	N.S.	
11	Hydrocarbon	1.4	mg/Nm <sup>3</sup>	--	
12	Carbon Dioxide (CO <sub>2</sub> )	2.1	%	--	
13	Carbon Monoxide (CO)	2.4	%	--	
➤ Remark- All above results are well within MPCB Limit. BDL.: - Below Detection Limit					



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

CERTIFICATIONS :  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

<b>Report No:</b>	<b>EHSM/2023/May/R-1852</b>	<b>Issue Date</b>	<b>23/05/2023</b>		
<b>Name and Address of Customer</b>	<b>Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D, village-Chikhhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.</b>				
<b>Sample Name</b>	<b>Noise</b>	<b>Sample Description</b>	<b>Ambient Noise</b>		
<b>Date of Sampling</b>	<b>13/05/2023</b>	<b>Sampling duration</b>	<b>Spot Time</b>		
<b>Sampling done by</b>	<b>EHS Matrix Pvt Ltd, Pune</b>				
<b>Results</b>					
Sr. No.	Locations	12.30 Hrs Result dB(A) Day	22.00 Hrs Result dB(A) Night	Specifications (CPCB Standards dB(A))	Method
1.	Near Main Gate	64.3	47.6	75/70	CPCB Guideline
2.	Near Building G	55.2	42.3		
<b>Remark-</b> <ul style="list-style-type: none"><li>&gt; All above Noise level results are within Central Pollution Control Board Standards limit.</li><li>&gt; Day/Night -75/70 dB.</li></ul>					



  
**Authorized Signatory**  
**Mr. Rahul Patil**  
**(Director)**

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

**CERTIFICATIONS :**  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX

PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

Report No:	EHSM/2023/May/R-1853	Issue Date	23/05/2023		
Name and Address of Customer	Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D, village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.				
Sample Name	Water	Sample Description	Drinking Water		
Date of Sampling	13/05/2023	Sampling Time	12.10 PM		
Sampling Location	Project Site	Sampling Procedure	APHA 1060		
Sampling done by	EHS Matrix Pvt Ltd, Pune	Sample Quantity	02 L		
Start Date of Analysis	14/05/2023	End Date of Analysis	18/05/2023		
<b>Results</b>					
Sr. No.	Parameters	Results	Limits as per IS 10500:2012	Unit(s)	Standard Methods
<b>Physical Parameter</b>					
1.	Color	<5	≤5	Hazen	APHA 2120 B, 23 <sup>rd</sup> Ed.2017
2.	pH	7.4	6.5 to 8.5	--	APHA 4500 H+ A, 23 <sup>rd</sup> Ed.2017
3.	Turbidity	<1	≤1	NTU	APHA 2130 B, 23 <sup>rd</sup> Ed.2017
4.	Total Dissolved Solids TDS	164.3	≤500	mg/L	APHA 2540 C, 23 <sup>rd</sup> Ed.2017
5.	Total Hardness as CaCO <sub>3</sub>	64.2	≤200	mg/L	IS 3025 (Part 21):2009
6.	Chloride ( as Cl)	12.1	≤250	mg/L	APHA 4500 Cl-, 23 <sup>rd</sup> Ed.2017
7.	Residual Free Chlorine	BDL	≤0.20	mg/L	APHA 4500 Cl, 23 <sup>rd</sup> Ed.2017
8.	Calcium (as Ca)	34.5	≤75	mg/L	IS : 3025 (Part 40)1991
9.	Magnesium (as Mg)	<5.0	≤30	mg/L	IS : 3025 (Part 46)
10.	Sulphate (as SO <sub>4</sub> )	<10.0	≤200	mg/L	IS : 3025 (Part 24)1986
<b>Microbiological Parameter</b>					
11.	Total Coliform	Absent	<2	MPN/100ml	IS 1622:1981
12.	E.coli.	Absent	<2	MPN/100ml	IS 1622:1981
<b>REMARKS / OBSERVATIONS:</b> Above sample is chemically and bacteriologically potable with respect to above parameters.					



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

CERTIFICATIONS :  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018





# EHS MATRIX

PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT


Report No:	EHSM/2023/May/R-1854	Issue Date	23/05/2023
Name and Address of Customer	Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D, village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.		
Sample Name	13/05/2023	Sample Description	
Date of Sampling	14/05/2023	Sampling Time	12.30 PM
Sampling Location	Project Site	Sampling Procedure	--
Sampling done by	EHS Matrix Pvt Ltd, Pune	Sample Quantity	01 kg
Start Date of Analysis	14/05/2023	End Date of Analysis	18/5/2023

### Results

Sr. No.	Parameters	Results	Unit(s)	Methods
1	Soil Texture			Manual Of Soil Testing
	a) Sand	25	%	
	b) Silt	43	%	
	c) Clay	32	%	
	A. Soil type	Silty clay	-	
2	pH at 25°C	7.12	--	IS 2720(Part 26) 1987
3	EC at 25°C	2689	µS/cm	IS 14767 : 2000
4	Moisture Content	4.9	%	Manual Of Soil Testing
5	Organic Matter	3.5	%	IS 2720(Part 22) 1972
6	Cation Exchange Capacity	2.4	meq/100g	Manual Of Soil Testing
7	Total Soluble Sulphate	11.1	mg/Kg	Manual Of Soil Testing
8	Available Phosphorus	15.3	mg/Kg	Manual Of Soil Testing
9	Available Nitrogen	121.3	mg/Kg	Manual Of Soil Testing
10	Water Holding	18.2	%	Manual Of Soil Testing
11	Calcium as (Ca)	22.3	mg/Kg	Manual Of Soil Testing
12	Magnesium as (Mg)	12.4	mg/Kg	Manual Of Soil Testing
13	Lead (as Pb)	<0.01	mg/Kg	Manual Of Soil Testing
14	Copper (as Cu)	<0.05	mg/Kg	Manual Of Soil Testing
15	Zinc (as Zn)	8.5	mg/Kg	Manual Of Soil Testing
16	Cadmium (as Cd)	<0.01	mg/Kg	Manual Of Soil Testing
17	Iron (as Fe)	5.5	mg/Kg	Manual Of Soil Testing
18	Manganese (as Mn)	1.8	mg/Kg	Manual Of Soil Testing

Remark-



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)  
Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

CERTIFICATIONS :  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018



# EHS MATRIX

PRIVATE LIMITED

Sr. No.30/7, Office No. 202, 203, Chintamani Industrial Estate,  
Near Dran Company, Dhayari, Pune - 411041, Maharashtra, India.  
+91 91585 60571 / +91 95796 84751 / +91 90961 85285  
www.ehsmatrix.co.in ehsmatrixpune@gmail.com

## TEST REPORT

Report No:	EHSM/2023/May/R-1855	Issue Date	23/05/2023		
Name and Address of Customer	Amendment Proposed residential development on survey and Hissa No. 135/3A, 138/1P, 138/2, 134/1A, 1B, 1C, 1D, 134/2, 138/1D, village-Chikhaloli, Badlapur, Mumbai M/s. Tharwani Constructions Pvt Ltd.				
Sample Name	Waste water	Sample Name	STP Outlet		
Date of Sampling	16/5/2022	Date of Sampling	11.30 AM		
Sampling Location	STP Plant	Sampling Location	APHA 1060		
Sampling done by	EHS Matrix Pvt Ltd, Pune	Sampling done by	01 L		
Start Date of Analysis	17/5/2022	End Date of Analysis	18/5/2023		
<b>Results</b>					
Sr. No.	Parameters	Results	Unit(s)	MPCB Limits	Methods
1	pH at 25°C	6.9	--	N.S.	APHA 4500 H+ A, 23 <sup>rd</sup> Ed.2017
2	Total Suspended Solids	<5.0	mg/L	<50	APHA 2540 D, 23 <sup>rd</sup> Ed.2017
3	Biochemical Oxygen Demand at 27°C for 3 days	12.1	mg/L	<30	IS 3025 (Part 44)-1993,Rev.1,
4	Chemical Oxygen Demand	35.1	mg/L	<100	IS 3025 (Part 58):2006
<b>Remark- All parameters are within the MPCB limit.</b>					



  
Authorized Signatory  
Mr. Rahul Patil  
(Director)

Page 01 of 01


Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.  
S.O. 3511 (E), Dated 24<sup>th</sup> August 2021 valid till 9<sup>th</sup> September 2023.

Register Office Address :  
C-7, Omkar Kudale Patil Estate, Manik  
Baugh, Sinhgad Road, Pune - 411051.  
+91 20 2435 6133  
+91 90961 85285 / +91 91585 60571

Branch Office Address :  
F-01, Shakuntala Complex,  
Rajarampuri, 4th Lane,  
Kolhapur - 416008.  
+91 98343 07334

CERTIFICATIONS :  
ISO 9001 : 2015  
ISO 14001 : 2015  
ISO 45001 : 2018

## ANNEXURE NO .16: LANDSCAPE WITH TREE DETAILS



- Required Recreational Garden (RG) Area: 4178.00 sq.mtr (10%)
- Proposed Recreational Garden (RG) Area: 11197.35 sq.mtr (31.74%)
- Total no.of trees: 626 nos.

### NO OF TREES TO BE PLANTED

Sr no.	Botanical Name	Common Name	Nos.
1.	<i>Azadirachata indica</i>	Neem	86
2.	<i>Areca catechu</i>	Areca palm	83
3.	<i>Millingtonia hortensis</i>	Indian cork tree	94
4.	<i>Polyalthia longifolia</i>	Mast tree	99
5.	<i>Michelia Champaca</i>	Sonchapha	66
6.	<i>Syzygium campanulatum</i>	Kelat paya	25
7.	<i>Rosa</i>	Roses	31
8.	<i>Roystonea regia</i>	Royal palm	96
9.	<i>Plumeria obtusa</i>	White frangipani	30
10.	<i>Mangifera indica</i>	Mango	4
11.	<i>Syzygium aquem</i>	White Jamun	4
12.	<i>Manikara zapoto</i>	chikoo	4
13.	<i>Delonix regia</i>	Gulmohar	4
14.	<i>Bauhinia blakeana</i>	Orchid Tree	86
15.	<i>Cassia fistula</i>	Golden shower	83
16.	<i>Khaya senegalensis</i>	Mahogany	94
<b>Total</b>			<b>626</b>



**ANNEXURE NO .17: CORPORATE SOCIAL RESPONSIBILITY**

<b>Sr No.</b>	<b>Description</b>	<b>Description</b>
1.	Name of the project	Meghna Montana
2.	Cost of the project (Rs. In Cr)	Rs. 250 Cr
3.	Effective cost of the project for CER consideration (Rs. In Cr.)	Rs. 250 Cr
4.	Project Type (green/Brown)	Brown field project
5.	Maximum % capital Investment /Additional capital investment as per OM vide F.No.- 22-65/2017-IAIII dated 1.05.2018	-
6.	CER % of Capital investment/Additional capital Investment	-
7.	Cost of CER (in Rs.)	Rs. 25 Lakhs
8.	District/Village in CER will be provided	AMC
9.	NGO/Local body (Recommended by District collector)	As per Recommendations of SEAC
10.	Duration of Allocation of fund for CER (in Years)	-

**ANNEXURE NO .18: BUDGETARY ALLOCATION AND EXPENDITURE FOR EMP**

<b>Sr no.</b>	<b>Particulars</b>	<b>Capital cost (Rs. In Lakhs)</b>	<b>O&amp; M cost (Rs. In Lakhs)</b>
1.	STP	143	36
2.	Solid waste management	16	4.02
3.	Rain water Harvesting	84	4.2
4.	Energy conservation	46	5
5.	Landscaping	15	2
<b>Total</b>		<b>304</b>	<b>51.22</b>

ANNEXURE NO .19: ENERGY DETAILS



Source : MSEDCL	
Connected load	8730 kW
Maximum load	5238 kW
No. of DG sets with capacity in KVA	2x380 KVA & 1 x 125 KVA

## ENERGY SAVING CALCULATIONS

Sr No.	DESCRIPTION	DEMAND LOAD KW	NO. OF HOUR	ENERGY CONSUMED BY CONVENTIONAL WAY KWH/DAY	ENERGY CONSUMED BY ENERGY SAVING DEVICES KWH/DAY	ENERGY SAVING KWH/DAY	SAVING %	REMARK
1.	Staircase and lobby area lightening	19.00	12	228.00	0.00	228.00	100%	100% Through solar PV Panel
2.	Road and landscape lightening	5.00	12	60.00	0.00	60.00	100%	100% Through solar PV Panel
3.	Parking area Lightening load	6.00	12	72.00	28.80	43.20	60%	Using LED/CFL lights
4.	Lift Load	440.00	6	2640.0	2112.00	528.00	20%	VFD's Lifts
5.	Flat equipment load	6600.00	3	19800.00	18810.00	990.00	5%	Using BEE star rated equipment
6.	gyser load	900.00	1.2	1080.00	0.00	1080.00	100%	Using BEE star rated equipment
7.	Shop	33.00	8	264.00	211.20	52.80	20%	High efficient motor
8.	Club house	200.00	3	600.00	600.0	0.00	0%	High efficient motor
9.	Plumbing load	448.00	4	1792.00	1433.00	358.40	20 %	
10.	STP	50.00	12	600.00	480.00	120.00	20 %	
11.	OWC	30.00	8	240.00	240.00	0.00	0 %	
12.	Total	8731		27376	29916	3460		
<b>Total Energy Saving</b>							<b>13%</b>	
<b>Solar saving (1)+(2)+(6)</b>							<b>5%</b>	

**ANNEXURE NO .20: STROM WATER DRAINAGE & RAINWATER HARVESTING**

<b>(STROM WATER DRAIN SIZE CALCULATIONS)</b>		
Discharged .Q= R*A*P m <sup>3</sup> /Hr Where		
a)	R= Max Intensity of Rainfall as 100 mm/hr	
b)	A= Area in sq. mtr	
c)	P= Impermeability factor	
		Plot
<b>DISCHARGE OF UNPAVED AREA</b>		
1.	UNPAVED AREA	2434
a)	R=	0.1
b)	A=	2434
c)	P=	0.3
	Q1=	R*A*P
	Q1(m <sup>3</sup> /hr)=	73.0
	Q1(m <sup>3</sup> /Sec)=	0.020
<b>DISCHARGE OF PAVED AREA</b>		
2.	PAVED AREA	21905
a)	R=	0.1
b)	A=	21905
c)	P=	0.85
	Q1=	R*A*P
	Q1(m <sup>3</sup> /hr)=	1862
	Q1(m <sup>3</sup> /Sec)=	0.517
<b>DRAIN SIZE CALCULATIONS FOR DRAINS</b>		
1.	Total discharge from Unpaved area= (m <sup>3</sup> /sec)	0.020
2.	Total discharge from paved area= (m <sup>3</sup> /sec)	0.517
3.	Total discharge from Landscape area= (m <sup>3</sup> /sec)	0.156
	TOTAL ACTUAL DISCHARGED, Q= (m <sup>3</sup> /sec)	0.693
	<b>Based on 2 No. of outlets Q= (m<sup>3</sup>/sec)</b>	<b>0.346</b>

<b>Surface Run off Calc for the plot (m<sup>3</sup>/Sec)</b>	<b>Plot</b>
Paved area discharge =(m <sup>3</sup> /sec)	0.517
Unpaved area discharge = (m <sup>3</sup> /sec)	0.020
Landscape area discharge = (m <sup>3</sup> /sec)	0.156
Total Discharge upper catchment area= (m <sup>3</sup> /sec)	0.056

<b>DISCHARGE OF LANDSCAPE</b>	
Landscape area	11197
R=	0.1
A=	11197
P=	0.5
Q1=	R*A*P
Q1(m <sup>3</sup> /hr)=	559.85
Q1(m <sup>3</sup> /Sec)=	0.156




## Upper Catchment Area

DISCHARGE OF upper catchment area	
upper catchment area	6751
R=	0.1
A=	6751
P=	0.3
Q1=	$R \cdot A \cdot P$
Q1(m <sup>3</sup> /hr)=	202.53
Q1(m <sup>3</sup> /Sec)=	0.056
<u>Total Discharge from the plot area</u>	0.693
Discharge from upper catchment area	0.056
Cumulative dischagre	0.749
Based on Two outlets	0.375

DISCHARGE DESIGN	
Assume DRAIN CHANNEL	0.600
	0.600
Where B= Breadth of storm Water Drain in meters and D= Depth of Strom Water Drain in Meters Area	
A=	B*D
A=	0.36
Wetted Perimeter P=	B+2D
P=	1.8
Wetted Radius R =	A/P
R =	0.200
Slope 1:300 S=	0.003
n=Frictional Co efficient =0.013	0.013
n=	0.013
Discharge by Manning's Formula $V = (1/n) \times (R)^{2/3} \times (S)^{1/2}$	1.51
TOTAL DESIGN DISCHARGEQ = AxV	0.54
PROPOSED DRAIN CHANNEL B=	0.60
D=	0.60
Since Design Discharge is greater than Actual Discharge, Sizes of the drain designed is okay	


## STROM WATER DRAINAGE LAYOUT



## RAIN WATER HARVESTING CALCULATIONS

Terrace Rainwater Harvesting Tank calc	WING A & B	WING C & C1	WING D to J	WING M & L	WING N & O	WING P, Q, & R	WING S & T	WING A1	WING A2
A= Terrace area (A) in Sqm	758	706	1365	749	726	974	772	233	461
I= average rainfall/day in Mts	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
P= Impermeability factor	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Q= Rain water collection in cum	22	20	39	21	21	28	22	7	13
Q= Rain water collection in cum/2days	43	40	78	43	41	56	44	13	26
Total 9 Tanks of Capacity 384 cum (2 days)									

## RAIN WATER HARVESTING LAYOUT



**ANNEXURE NO .21: DATA SHEET FOR ANNEXURE A, B, AND C**

**Monitoring the Implementation of Environmental Safeguards**  
**Ministry of Environment, Forests & Climate Change Regional Office (W), Nagpur.**  
**Monitoring Report**  
**PART – I**  
**DATA SHEET**

**Date: 1<sup>st</sup> June 2023**

1.	Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	<b>Housing Project</b>
2.	Name of the project	:	Amendment of Residential project- Meghna Montana at Plot bearing S.No. 135/3A, 138/1P, 138/P, 138/2,134/1A, 1B, 1C, 134/2,138/1D at village –Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.
3.	Clearance letter ( s ) / OM No. and Date	:	<b>Vide letter no. SEIAA-EC-0000002295 dated 15.01.2020</b>
4.	Location	:	
	a. District ( S )	:	<b>Thane</b>
	b. State ( S )	:	<b>Maharashtra</b>
	c. Latitude/ Longitude	:	<b>Latitude: 19°11'6.41"N Longitude: 73°13'29.47"E</b>
5.	Address for correspondence	:	<b>M/s Tharwani Constructions Pvt Ltd.</b> <b>Address:</b> Tharwani Asterdale bldg., Office no 201; Near mid-Town empire bldg jhulelaal chowk Godrej hill road khadakpda, Kalyan West. <b>Email Id:</b> <a href="mailto:tharwaniconstructions@gmail.com">tharwaniconstructions@gmail.com</a>
	a. Address of Concerned Project Chief Engineer ( with pin code & Telephone / telex / fax numbers	:	Mr. Navin Raghani <b>Address:</b> Tharwani Meghna Montana, S.no.135/3, Near Sarvodaya Nagar chikhloli villege, Opp Dental college Ambernath-Badlapur road Ambernath west <b>Email Id:</b> <a href="mailto:tharwaniconstructions@gmail.com">tharwaniconstructions@gmail.com</a>
	b. Address of Executive Project: Engineer/Manager ( with pin code/ Fax numbers )	:	Name: Mr. Mankush Agicha <b>Address:</b> Tharwani Meghna Montana, S.no.135/3, Near Sarvodaya Nagar chikhloli villege, Opp Dental college Ambernath-Badlapur road Ambernath west <b>Mobile No :</b> 9890357927
6.	Salient features	:	
	a. of the project	:	<b>Annexure -A</b>
	b. of the environmental management	:	<b>Annexure -B</b>

		plans		
7.		Breakup of the project area	:	
	a.	submergence area forest & non-forest	:	<b>Project site is not a forest area.</b>
	b.	Others	:	<b>Annexure - A</b>
8.		Breakup of the project affected Population with enumeration of Those losing houses/dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan	:	<b>Not Applicable</b>
	a.	SC, ST/Adivasis	:	<b>Not Applicable</b>
	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	:	<b>Not Applicable</b>
9.		Financial details	:	
	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference	:	<b>2500000000</b>
	b.	Allocation made for environmental management plans with item wise and year wise Break-up.	:	<b>Annexure – C</b>
	c.	Benefit cost ratio/Internal rate of Return and the year of assessment	:	-
	d.	Whether (c) includes the Cost of environmental management as shown in the above.	:	<b>Yes</b>
	e.	Actual expenditure incurred on the environmental management plans so far	:	<b>278.42</b>
10.		Forest land requirement	:	
	a.	The status of approval for diversion of forest land for non-forestry use	:	<b>Not Applicable</b>
	b.	The status of clearing felling	:	<b>Not Applicable</b>
	c.	The status of compensatory afforestation, if any	:	<b>Not Applicable</b>
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	:	<b>Not Applicable</b>

11.	The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	:	<b>Not Applicable</b>
13.	Reasons for the delay if the Project is yet to start	:	<b>Not Applicable</b>
14	Dates of site visits	:	
	a. The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:	<b>Not yet visited</b>
	b. Date of site visit for this monitoring report	:	<b>Site is not yet visited by MoEFCC-RO Nagpur office</b>
15.	Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits	:	<b>Not Applicable</b>
	(The first monitoring report may contain the details of all the Letters issued so far, but the Later reports may cover only the Letters issued subsequently.)	:	-

**ANNEXURE – A**

**1. PROJECT DETAILS**

<b>Name &amp; Location</b>	:	Amendment of Residential project- Meghna Montana at Plot bearing S.No. 135/3A, 138/1P, 138/P, 138/2,134/1A, 1B, 1C, 134/2,138/1D at village –Chikhaloli by M/s. Tharwani Constructions Pvt Ltd.
<b>Total no. of workers to be employed during the construction phase.</b>	:	Total 89 workers.
<b>Total Project cost</b>	:	Rs. 2500000000
<b>Area Statement</b>	:	<b>Total Plot Area:</b> 42580 Sq mtr <b>Built Up Area as per FSI:</b> 81,962.54 Sq mtr. <b>Non FSI Area:</b> 41,940.88 Sq mtr. (IOD No.: AMC/NRV/BP/19-20/849/8972/61 dated 26/09/2019 ) <b>Total Construction area:</b> 1, 23, 903.42 Sq mtr. <b>R. G. Area on the ground:</b> 11,197.35 sq. mtr.

<p><b>Water Requirement and Sources</b></p>	<p>: <b><u>During Construction Phase – AMC</u></b>  <b>For Construction: 10 KLD</b>  (Depending upon the activity).  <b><u>During Operational Phase - AMC</u></b>  <b>Total Water Requirement.: 1070 KLD</b>  For Domestic: 676 KLD  For Flushing: 338 KLD  For Gardening: 56 KLD</p>
<p><b>Sewage generated</b></p>	<p>: 946 m3/ day</p>
<p><b>Power</b></p>	<p>: <b><u>During Construction Phase -</u></b></p> <ul style="list-style-type: none"> <li>• Source: MSEDCL</li> <li>• Demand Load:50 kW</li> <li>• DG Set as a power backup: 62.5 kW</li> </ul> <p><b><u>During Operational Phase –</u></b></p> <ul style="list-style-type: none"> <li>• Power Requirement:  Connected load: 8730 kW  Maximum Demand: 5238 kW</li> <li>• DG sets – 2 x 380 KVA &amp; 1 x 125 KVA</li> </ul>
<p><b>Gaseous emissions</b></p>	<p>: </p> <ul style="list-style-type: none"> <li>• Vehicle carrying materials to be transported must have PUC certificate.</li> <li>• Heavy vehicle movement will be allowed only during night time.</li> <li>• Construction equipment’s with idling control technologies will be used.</li> <li>• Regular maintenance of the equipment’s will be carried out.</li> </ul>
<p><b>Solid waste from:  Garbage:  1. Wet  2. Dry</b></p>	<p>: </p> <ul style="list-style-type: none"> <li>• Total solid waste: 3,777 kg/day</li> <li>• Biodegradable waste: 2259 kg/day</li> <li>• Non- biodegradable waste: 1518 kg/day</li> <li>• STP sludge (Dry sludge) : 47 kg/day</li> </ul>

ANNEXURE - B

**ENVIRONMENT MANAGEMENT PLAN – CONSTRUCTION PHASE**

Sr no.	Media	Aspect	Mitigation measures	Implementation Schedule	Responsibility
1.	Air	Dust mitigations from excavation, material handling and other construction activities.	<ul style="list-style-type: none"> <li>Provision of spraying water to reduce dust emission on roads.</li> <li>Excavated topsoil to be preserved and reused for the landscaping.</li> <li>The amount of exposed ground and stock piles will be minimized so that re suspension due to wind and subsequent dust fall is prevented.</li> <li>Ensuring all vehicles, generators and compressors are well maintained and regularly serviced.</li> </ul>	Three times in peak construction activity in Summer season. Before construction activity storage area shall be constructed.	Site engineer Project proponent/site contractor
2.	Noise	Noise generated from construction activities, operation of construction equipment and traffic.	<ul style="list-style-type: none"> <li>Use of Well-maintained equipment fitted with silencers.</li> <li>Providing noise shields near heavy construction operations.</li> <li>Use of personal protective Equipment (PPE) like ear muffs and ear plug for workers during construction activities</li> </ul>	Prior to construction activity of proposed Building	Project proponent/site contractor
3.	Water	Surface runoff from project site, Oil/ fuel and waste spills, Improper debris disposal/sewage disposal	<ul style="list-style-type: none"> <li>Sewage generated from construction labours for proposed building shall be treated in mobile STP, NO labour Camps are proposed.</li> <li>Silt traps and other measures such as additional onsite diversion ditches will be constructed to control surface run off during site development.</li> <li>Oil and Grease traps for parking bays.</li> </ul>	Prior to start Structure Work (Peak Construction activity)	Site Engineer/Safety officer
4.	Land use and Aesthetics	Land use is residential and project proposed is Residential	Green Belt development with trees and of RG area	During Construction activity	Project Proponent
5.	Soil	Construction activity leading to topsoil removal and erosion.	Excavation only for foundation for proposed building. Top soil Shall be used for Landscaping.	At the time of foundation activity and site preparation	Site Engineer
6.	Ecology flora and fauna	<ul style="list-style-type: none"> <li>Disposal of construction and demolition Debris</li> <li>Contamination of soil due to leakage of oil from vehicles.</li> </ul>	Construction debris will be collected and suitably used on site as per construction waste management plan. Effective measures will be taken to prevent leakage of oil	During Construction	Project proponent

**ENVIRONMENT MANAGEMENT PLAN – OPERATION PHASE**

Sr. no	Media	Aspects	Mitigation Measures	Implementation Schedule	Responsibility
1.	Air	Emissions from vehicular traffic in operations	<ul style="list-style-type: none"> <li>• Providing separate entry and exit points</li> <li>• Reduce idling rime in parking space.</li> <li>• Proper management of traffic movement in and out of parking area and at intersection with the external roads.</li> <li>• Plantation with specific species to be provided reducing SPM levels.</li> <li>• DG set shall be provided with stack height as per CPCBA norm.</li> </ul>	Before handing over to end user	Project proponent
2.	Noise	Noise from D.G sets, vehicle movement.	DG sets with acoustic enclosure. Maximum sound pressure level shall be 75 dB (A) at 1 meter from the enclosure surface as per the CPCB standards.	Before handing over to end user	Project proponent
3.	Water	Sewage discharge to sewer line/recycled after treatment as per PCB norms	Total sewage generation shall be 94.6 KLD capacity. Monitoring of STP inlet and outlet at regular interval. Recycling of treated waste water for flushing and landscaping.	Throughout the life cycle of project	First 3 years PP and then Society
4.	Soil	Storage and disposal of solid waste, discharge of sewage, fuel and material spills.	OWC with segregation area to process the Biodegradable waste for manure generation. Excess treated water will be drained in Municipal sewer.	Before handing over to users and throughout the life cycle of project	Project proponent/housing society after 3 years
5.	Ecology, flora and fauna	Change in land cover.	11197.35 Sq.m of RG area with 3582 No. of trees (mainly local species)	At least 80% landscape development and tree plantation during Construction phase of the project	Project proponent



ANNEXURE - C

**Budgetary Allocation for Environmental Management Plan**

<b>Sr no.</b>	<b>Particulars</b>	<b>Capital cost (Rs. In Lakhs)</b>	<b>O&amp; M cost (Rs. In Lakhs)</b>
1.	STP	143	36
2.	Solid waste management	16	4.02
3.	Rain water Harvesting	84	4.2
4.	Energy conservation	46	5
5.	Landscaping	15	2
<b>Total</b>		<b>304</b>	<b>51.22</b>